



Refrigerated Showcases

Models RS-CN-0440, 0530, 0700, 1050, 0440-B, 0530-B, 0700-B, 1050-B

Items 48479, 43459, 41469, 43460, 48480, 48265, 48266, 48269

Instruction Manual



Revised - 06/04/2025



Toll Free: 1-800-465-0234
Fax: 905-607-0234
Email: service@omcan.com
www.omcan.com



Table of Contents

Model RS-CN-0440 / Model RS-CN-0530 / Model RS-CN-0700
Model RS-CN-1050 / Model RS-CN-0440-B / Model RS-CN-0530-B
Model RS-CN-0700-B / Model RS-CN-1050-B

Section	Page
Disclaimer -----	3
General Information -----	4 - 5
Safety and Warranty -----	5 - 7
Technical Specifications -----	8
Operation -----	9 - 10
Maintenance -----	10
Troubleshooting -----	10 - 11
Parts Breakdown -----	12 - 35
Electrical Schematics -----	36 - 39
Notes -----	40 - 42
Warranty Registration -----	43

*OMCAN IS NOT RESPONSIBLE FOR ANY DAMAGES
DUE TO WATER LEAKS. WARRANTY FOR WATER
LEAKS IS VOID IF THE AMBIENT ROOM TEMPERATURE
EXCEEDS 75°F AND 55% RELATIVE HUMIDITY, AND THE
APPLIANCE DRAIN IS NOT CONNECTED DIRECTLY TO
A FLOOR DRAIN.*

*OMCAN N'EST PAS RESPONSABLE DES DOMMAGES
DUS AUX FUITES D'EAU. LA GARANTIE POUR LES
FUITES D'EAU EST ANNULÉE SI LA TEMPÉRATURE
AMBIANTE DE LA PIÈCE DÉPASSE 75°F ET 55%
D'HUMIDITÉ RELATIVE, ET SI LE DRAIN DE L'APPAREIL
N'EST PAS RACCORDÉ DIRECTEMENT À UN DRAIN DE
PLANCHER.*

*OMCAN NO SE HACE RESPONSABLE DE LOS DAÑOS
CAUSADOS POR FUGAS DE AGUA. LA GARANTÍA
POR FUGAS DE AGUA QUEDA ANULADA SI LA
TEMPERATURA AMBIENTE SUPERA LOS 75°F Y EL
55% DE HUMEDAD RELATIVA, Y EL DESAGÜE DEL
APARATO NO ESTÁ CONECTADO DIRECTAMENTE A UN
DESAGÜE DE PISO.*

General Information

Omcan Manufacturing and Distributing Company Inc., Food Machinery of America, Inc. dba Omcan and Omcan Inc. are not responsible for any harm or injury caused due to any person's improper or negligent use of this equipment. The product shall only be operated by someone over the age of 18, of sound mind, and not under the influence of any drugs or alcohol, who has been trained in the correct operation of this machine, and is wearing authorized, proper safety clothing. Any modification to the machine voids any warranty, and may cause harm to individuals using the machine or in the vicinity of the machine while in operation.

CHECK PACKAGE UPON ARRIVAL

Upon receipt of an Omcan shipment please inspect for external damage. If no damage is evident on the external packaging, open carton to ensure all ordered items are within the box, and there is no concealed damage to the machine. If the package has suffered rough handling, bumps or damage (visible or concealed), please note it on the bill of lading before accepting the delivery and contact Omcan within 24 hours, so we may initiate a claim with the carrier. A detailed report on the extent of the damage caused to the machine must be filled out within three days, from the delivery date shown in the shipping documents. Omcan has no recourse for damaged products that were shipped collect or third party.

Before operating any equipment, always read and familiarize yourself with all operation and safety instructions.

Omcan would like to thank you for purchasing this machine. It's of the utmost importance to save these instructions for future reference. Also save the original box and packaging for shipping the equipment if servicing or returning of the machine is required.

Omcan Fabrication et distribution Compagnie Limitée et Food Machinery d'Amérique, dba Omcan et Omcan Inc. ne sont pas responsables de tout dommage ou blessure causé du fait que toute personne ait utilisé cet équipement de façon irrégulière. Le produit ne doit être exploité que par quelqu'un de plus de 18 ans, saine d'esprit, et pas sous l'influence d'une drogue ou d'alcool, qui a été formé pour utiliser cette machine correctement, et est vêtu de vêtements de sécurité appropriés. Toute modification de la machine annule toute garantie, et peut causer un préjudice à des personnes utilisant la machine ou des personnes à proximité de la machine pendant son fonctionnement.

VÉRIFIEZ LE COLIS DÈS RÉCEPTION

Dès réception d'une expédition d'Omcan veuillez inspecter pour dommages externes. Si aucun dommage n'est visible sur l'emballage externe, ouvrez le carton afin de s'assurer que tous les éléments commandés sont dans la boîte, et il n'y a aucun dommage dissimulé à la machine. Si le colis n'a subi aucune mauvaises manipulations, de bosses ou de dommages (visible ou cachée), notez-le sur le bon de livraison avant d'accepter la livraison et contactez Omcan dans les 24 heures qui suivent, pour que nous puissions engager une réclamation auprès du transporteur. Un rapport détaillé sur l'étendue des dommages causés à la machine doit être rempli dans un délai de trois jours, à compter de la date de livraison indiquée dans les documents d'expédition. Omcan n'a aucun droit de recours pour les produits endommagés qui ont été expédiés ou cueillis par un tiers transporteur.

Avant d'utiliser n'importe quel équipement, toujours lire et vous familiariser avec toutes les opérations et les



General Information

consignes de sécurité.

Omcan voudrais vous remercier d'avoir choisi cette machine. Il est primordial de conserver ces instructions pour une référence ultérieure. Également conservez la boîte originale et l'emballage pour l'expédition de l'équipement si l'entretien ou le retour de la machine est nécessaire.

Omcan Empresa De Fabricacion Y Distribucion Inc. Y Maquinaria De Alimentos De America, Inc. dba Omcan y Omcan Inc. no son responsables de ningun daño o perjuicio causado por cualquier persona inadecuada o el uso descuidado de este equipo. El producto solo podra ser operado por una persona mayor de 18 años, en su sano juicio y no bajo alguna influencia de droga o alcohol, y que este ha sido entrenado en el correcto funcionamiento de esta máquina, y ésta usando ropa apropiada y autorizada. Cualquier modificación a la máquina anula la garantía y puede causar daños a las personas usando la máquina mientras esta en el funcionamiento.

REVISE EL PAQUETE A SU LLEGADA

Tras la recepcion de un envio Omcan favor inspeccionar daños externos. Si no hay daños evidentes en el empaque exterior, Habra el carton para asegurarse que todos los articulos solicitados estén dentro de la caja y no encuentre daños ocultos en la máquina. Si el paquete ha sufrido un manejo de poco cuidado, golpes o daños (visible o oculto) por favor anote en la factura antes de aceptar la entrega y contacte Omcan dentro de las 24 horas, de modo que podamos iniciar una reclamación con la compañía. Un informe detallado sobre los daños causados a la máquina debe ser llenado en el plazo de tres días, desde la fecha de entrega que se muestra en los documentos de envío. Omcan no tiene ningun recurso por productos dañados que se enviaron a recoger por terceros.

Antes de utilizar cualquier equipo, siempre lea y familiarizarse con todas las instrucciones de funcionamiento y seguridad.

Omcan le gustaría darle las gracias por la compra de esta máquina. Es de la mayor importancia para salvar estas instrucciones para futuras consultas. Además, guarda la caja original y el embalaje para el envío del equipo si servicio técnico o devolución de la máquina que se requiere.

Safety and Warranty

HANDLING AND INSTALLATION

Handle with care Unplug from the wall socket before moving. Never tilt the refrigerator over 45 degrees during handling.	Storage Always store the refrigerator in a dry place.
--	---

Safety and Warranty

Sufficient space To allow for proper air circulation and increased refrigeration capabilities, the refrigerator must have at least 4"/10cm of space between wall/ceiling and the machine.	Proper ventilation Always place the refrigerator in an area with good ventilation. For first time use, set in location and wait at least 2 hours before plugging into wall socket.
Away from heat source Never place the refrigerator near any type of heat source or in direct sunlight, as it reduces refrigeration capabilities.	No heavy load Never put heavy items on top of the refrigerator.
No altercations/tampering Never tamper with or make changes to the refrigerator. Changes and add-ons should not be installed to the inside or outside of the refrigerator.	Stable location Unpack and place the refrigerator on flat, solid ground.

PREPARATION AND POWER SUPPLY

Exclusive power outlet Power supply should be 220V, single phase AC with exclusive single phase three pin outlet (250V/10A) and fuse (6A). The power outlet must be in close proximity to the ground.	No shared power outlets Refrigerator cable should never share the power outlet with any other appliance, as cable will overheat and may result in a fire.
Protect cables Extra caution should be used when handling cables, as broken or damaged cables can cause sparking and may result in a fire.	No water flushing Never flush the refrigerator surface. This can cause leakage, which may result in electrical damage or fire.
Never store flammables and explosives No explosives or flammables should be stored in, or in proximity to, the refrigerator, such as gasoline, alcohol, and adhesives.	No spray Never spray flammables such as paint or coating near the refrigerator. This may cause fire or malfunction.
After power outage After a power outage or the unplugging of the refrigerator, wait at least 5 minutes before plugging it back in.	No medicine Medicine should not be stored inside of the refrigerator.

SUITABLE FOR HIGH TRAFFIC AREAS WHERE NOISE LEVELS ARE NOT A CONCERN.

OMCAN IS NOT RESPONSIBLE FOR DIMINISHED COOLING OR ANY DAMAGES DUE TO WATER LEAKS. WARRANTY FOR WATER LEAKS IS VOID IF THE AMBIENT ROOM TEMPERATURE EXCEEDS 75°F AND 55% RELATIVE HUMIDITY, AND THE APPLIANCE DRAIN IS NOT CONNECTED DIRECTLY TO A FLOOR DRAIN.

RESIDENTIAL USERS: vendor assumes no liability for parts or labor coverage for component failure or other damages resulting from installation in non-commercial or residential applications. The right is reserved to deny shipment for residential usage; if this occurs, you will be notified as soon as possible.

Safety and Warranty

1 YEAR PARTS AND LABOUR WARRANTY

Within the warranty period, contact Omcan Inc. at 1-800-465-0234 to schedule an Omcan authorized service technician to repair the equipment locally.

Unauthorized maintenance will void the warranty. Warranty covers electrical and part failures not improper use.

Please see <https://omcan.com/disclaimer> for complete info.

WARNING:

The packaging components are classified as normal solid urban waste and can therefore be disposed of without difficulty.

In any case, for suitable recycling, we suggest disposing of the products separately (differentiated waste) according to the current norms.

DO NOT DISCARD ANY PACKAGING MATERIALS IN THE ENVIRONMENT!

Technical Specifications

STEEL UNITS

Model	RS-CN-0440	RS-CN-0530	RS-CN-0700	RS-CN-1050
Item Number	48479	43459	41469	43460
Rated Input Power	1700 W		2550 W	2400 W
Capacity	440 L / 15.53 cu.ft.	530 L / 18.71 cu.ft.	700 L / 24.72 cu.ft.	1050 L / 37.08 cu.ft.
Electrical	110-120V / 60Hz / 1		220V / 60Hz / 1	
Shelf Load Capacity	55.1 lbs. / 25 kgs.		66.1 lbs. / 30 kgs.	110.2 lbs. / 50 kgs.
Temperature Range	2 - 10°C / 35.6 - 50°F			
Max Ambient Temp Rating	24°C / 75°F			
Refrigerant & Injection	R290			
Type of Climate	3			
Rated Current	16A		12.1A	11.5A
Weight	276.7 lbs. / 125.5 kgs.	335.1 lbs. / 152 kgs.	426.6 lbs. / 193.5 kgs.	565.5 lbs. / 256.5 kgs.
Packaging Weight	332.9 lbs. / 151 kgs.	388 lbs. / 176 kgs.	486.1 lbs. / 220.5 kgs.	652.6 lbs. / 296 kgs.
Dimensions	30" x 30.1" x 81.5" 762 x 765 x 2070mm	36" x 30.1" x 81.5" 915 x 765 x 2070mm	48" x 30.1" x 81.5" 1220 x 765 x 2070mm	72" x 30.1" x 81.5" 1829 x 765 x 2070mm
Packaging Dimensions	33.9" x 33.5" x 87.8" 862 x 850 x 2230mm	40" x 33.5" x 87.8" 1015 x 850 x 2230mm	52" x 33.5" x 87.8" 1320 x 850 x 2230mm	76" x 33.5" x 87.8" 1930 x 850 x 2230mm


BLACK UNITS

Model	RS-CN-0440-B	RS-CN-0530-B	RS-CN-0700-B	RS-CN-1050-B
Item Number	48480	48265	48266	48269
Rated Input Power	1700 W		2550 W	2400 W
Capacity	440 L / 15.53 cu.ft.	530 L / 18.71 cu.ft.	700 L / 24.72 cu.ft.	1050 L / 37.08 cu.ft.
Electrical	110-120V / 60Hz / 1		220V / 60Hz / 1	
Shelf Load Capacity	55.1 lbs. / 25 kgs.		66.1 lbs. / 30 kgs.	110.2 lbs. / 50 kgs.
Temperature Range	2 - 10°C / 35.6 - 50°F			
Max Ambient Temp Rating	24°C / 75°F			
Refrigerant & Injection	R290			
Type of Climate	3			
Rated Current	16A		12.1A	11.5A
Weight	276.7 lbs. / 125.5 kgs.	335.1 lbs. / 152 kgs.	426.6 lbs. / 193.5 kgs.	565.5 lbs. / 256.5 kgs.
Packaging Weight	332.9 lbs. / 151 kgs.	388 lbs. / 176 kgs.	486.1 lbs. / 220.5 kgs.	652.6 lbs. / 296 kgs.
Dimensions	30" x 30.1" x 81.5" 762 x 765 x 2070mm	36" x 30.1" x 81.5" 915 x 765 x 2070mm	48" x 30.1" x 81.5" 1220 x 765 x 2070mm	72" x 30.1" x 81.5" 1829 x 765 x 2070mm
Packaging Dimensions	33.9" x 33.5" x 87.8" 862 x 850 x 2230mm	40" x 33.5" x 87.8" 1015 x 850 x 2230mm	52" x 33.5" x 87.8" 1320 x 850 x 2230mm	76" x 33.5" x 87.8" 1930 x 850 x 2230mm

BEFORE USE

- Plug refrigerator into the exclusive socket.
- After the refrigerator is running, confirm that air suction/filtration is in working order and that it is sufficiently cold. After checking to make sure the refrigerator is working properly, it may be used.

DIGITAL TEMPERATURE CONTROLLER



FEATURES OF FUNCTION

- Small, integrated digital controller, which is applicable to the compressor of 1 HP. Located behind the front grill.
- Main functions are: temperature display, temperature control, manual-automatic, light control, value storing, self-testing, parameter locking.

FRONT PANEL OPERATION

1. Set temperature: press **SET** button; set temperature will be displayed. Press **▲** or **▼** button to modify and store the displayed value. Press **SET** button to exit the adjustment and display the cold-room temperature.
2. If no button is pressed within 10 seconds, the cold-room temperature will be displayed.
3. Lighting: press **Light** button to activate light in refrigerator; press again to turn off. Manual start/stop defrost: press **Defrost** button and hold for 6 seconds to either defrost or to stop defrost.
4. Refrigeration LED: during refrigeration, the LED is on. When the cold room temperature is constant, the LED is off. During delay start, the LED flashes.
5. Defrost LED: during defrosting, the LED is on. When it stops defrosting, the LED is off. During the delay of defrost, the LED flashed.

CAUTION

- Never block the air outlet and suction to keep the air circulation and refrigeration capability constant.
- Do not overfill refrigerator with food, as it will influence the cooling effect. If needed, adjust the rack height for proper food storage.
- Cool down hot food to room temperature before placing inside the refrigerator.
- When power supply has been cut off, reduce opening times and maintain cool temperature in refrigerator.
- To avoid scalding, never touch the compressor.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent, or similarly qualified persons in order to avoid hazard.

Operation

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.

Maintenance

1. Cabinet Cleaning:
 - a. The product should be maintained and cleaned periodically with power supply disconnected. In cleaning, please use mild-rinsing water or non-corrosive products. Do not wash directly with water faucet.
 - b. Clean outside of unit using a soft cloth with neutral detergent, and dry with a separate soft cloth.
 - c. Clean inside racks by removing them from the unit and clean with water.
2. When shutting down unit for a long period of time, take out all food and unplug wall socket. Clean inside and outside thoroughly, and keep door open to sufficiently dry.
3. As glass breaks easily, keep far away from children.
4. Frequently observe the operation of the product. In case of any abnormal noise or smell, cut off the power supply immediately and call professionals. Do not restart the product before source of trouble is found.
5. We will not be responsible for any accidents acquired through failure to follow previous notices.

SERVICE

- To maintain good refrigeration performance, a refrigeration service person should be called periodically (at least twice a year) to clean the discharge honeycomb and remove any accumulated dirt from the condenser coil and condensate evaporator pan on self-contained models. POOR CIRCULATION OF AIR THROUGH THE CONDENSER COIL WILL RESULT IN POOR REFRIGERATION PERFORMANCE.
- Dirt accumulation inside the condensate evaporator pan will reduce the pan's capacity and affect the efficiency of the heater causing a burned out heater and an overflow of defrost water onto the store floor.

Troubleshooting

Trouble	Causes	Solutions
Strange noise under the bottom shelf.	Fan blade broken.	Power off and fix the blade.
Non-refrigerating in spite of normal operation.	Unit off.	Power on.
	Melting process.	Stop melting.
	Refrigerant leaking.	Patch the leak and refill refrigerant.
	Unit failure.	Call Omcan.

Troubleshooting

Trouble	Causes	Solutions
Weak air from air curtain, and higher cabinet temperature.	Evaporator blocked by frost.	Increase melting frequency.
	Inside fan damaged.	Replace the fan.
	Too low point of temperature controller.	Adjust the set point.
	Vent blocked by storage.	Remove the storage.
Normal air curtain, but higher cabinet temperature.	Insufficient refrigerant.	Refill the refrigerant.
	Too high set point of temperature controllers.	Adjust the set point for the temperature controller.
	The wind curtain disturbed by strong air flow.	Removing the disturbing factors.
	Ambient temperature or humidity beyond standards.	Improve the conditions.
Melting water overflows.	Heating pipe for melting water damaged.	Replace the heating pipe.
	Water level controller failure.	Replace the water level controller.
	Ambient temperature or humidity beyond standards.	Improve the conditions.
Normal air curtain, but periodical fluctuation of cabinet temperature.	Condenser contaminated.	Clean the condenser.
	Poor venting of the unit.	Improve the venting conditions.
	Heat protection of compressor failure.	Replace the heat protection.
	Capillary is blocked by ice.	Replace the drying filter.
	Temperature controller failure.	Replace the temperature controller.
Water leaks on floor.	Ambient room temperature exceeds 75°F and 55% relative humidity.	Connect appliance drain to floor drain.


NOTE

Following occurrences are not problems:

- The murmur of water is heard when the refrigerator is working. It is a normal occurrence as the coolant is circulating in the system.
- When the weather is damp, condensation might be found on the outside of the refrigerator. It is caused by high humidity. Simply use cloth to wipe it off.

Parts Breakdown

Model RS-CN-0440 48479



Parts Breakdown

Model RS-CN-0440 48479

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
AP390	Compressor for 48479	1	AO866	Foam of Left Side Board for 48479	29	79366	Fan Blade for 48479	57
60587	Water Receiver for 48479	2	60613	Dead Plate of Rear Foam for 48479	30	60641	Fan Guard for 48479	58
79304	Pipe for Evaporated Water for 48479	3	AT372	Left Support Pillar of Shelf for 48479	31	AL374	Evaporator Fan Motor for 48479	59
60590	PVC Trucking for 48479	4	60615	Parry of Right Lining Plate for 48479	32	60643	Left Plate of Evaporator Motor for 48479	60
AT357	Switch Power Supply for 48479	5	AT373	Ventilated Board for 48479	33	AT390	Decorating Strip of Glass Deflector for 48479	61
AT358	Cover of Terminal Box for 48479	6	AT374	Upper Back Plate for 48479	34	60645	Strip of Glass Deflector for 48479	62
AO860	Wiring Box for 48479	7	AT375	Damper of Back Foam for 48479	35	AT391	Glass Deflector for 48479	63
61167	Circuit Board Box for 48479	8	AT376	Back Upper Crosspiece for 48479	36	AT392	Strip of Glass Deflector for 48479	64
60594	Cover of Circuit Board Box for 48479	9	AT377	Night Curtain for 48479	37	AT393	Lower Front Board Component for 48479	65
AF546	Main Circuit Board for 48479	10	AT378	Damper of Upper Air Outlet for 48479	38	AT394	PE Cotton for Lower Front Board for 48479	66
AT359	Leakage Circuit Breaker Cover for 48479	11	68470	Honeycomb Plate for 48479	39	AT395	Lower Front Board for 48479	67
AT360	Leakage Circuit Breaker for 48479	12	AT379	Cover of Upper Air Outlet for 48479	40	60651	Curtain Hook for 48479	68
AT361	Leakage Circuit Breaker Fixing Plate for 48479	13	AT380	Upper Cover Plate for 48479	41	68392	Water Box Bracket for 48479	69
AT362	Mesh Guard in Base for 48479	14	60698	Lining Foam for 48479	42	AD518	Condenser Fan Motor for 48479	70
AT363	Base for 48479	15	AT381	Upper Front Board for 48479	43	79365	Fan Guard for 48479	71
AO889	Water Pipe for 48479	16	AT382	Lampshade Frame for 48479	44	60640	Fan Blade for 48479	72
AL376	Circlip for 48479	17	AT383	Lampshade for 48479	45	AT396	Connection Pipe for 48479	73
AT364	Foam of Base Plate for 48479	18	60628	Holder of Lampshade Frame for 48479	46	70106	Dry Filter for 48479	74
60602	Left Board of Evaporator Cover for 48479	19	AT384	Constant Voltage Patch LED Light 1 for 48479	47	AT397	High Pressure Evaporation Tube for 48479	75
AT365	Evaporator Motor Cover for 48479	20	60629	Parry of Right Lining Plate for 48479	48	60652	High Pressure Evaporation Tube Pressure Plate for 48479	76
AT366	Evaporator Water Box for 48479	21	AT385	Right Support Pillar of Shelf for 48479	49	60655	Water Box for 48479	77
60604	Evaporator Holder for 48479	22	AO878	Foam of Right Board for 48479	50	AL306	Pagoda Water Mouth-Processing for 48479	78
AT367	Evaporator Ventilation Damper for 48479	23	AT386	Rear Support of Air Inlet Panel for 48479	51	68301	Strong Magnet for 48479	79
AT368	Evaporator for 48479	24	AO905	Left/Right Support Pillar of Shelf for 48479	52	AT398	Right Windshield of Condenser for 48479	80
AT369	Evaporator Damper for 48479	25	AT387	General Assembly for Shelf for 48479	53	AT399	Shutter for 48479	81
AT370	Evaporator Windshield for 48479	26	AT388	Constant Voltage Patch LED Light 2 for 48479	54	AT400	Lower Front Crosspiece for 48479	82
AT371	Air Inlet Panel for 48479	27	AD500	Jump Ring of LED for 48479	55	67648	Temperature Display for 48479	83
60610	Parry of Lower Air Intake for 48479	28	AT389	Price Tag Holder for 48479	56	AR485	Switch (Higher Amp) for 48479	84

Parts Breakdown

Model RS-CN-0440 48479


Item No.	Description	Position
60666	Temperature Probe for 48479	85
AD481	Overheating Probe for 48479	86
60670	PPR Tube Strap for 48479	87
60669	Pressing Plate of Dry Filter for 48479	88
60668	Drain Pipe for 48479	89

Item No.	Description	Position
68398	Copper Connection for 48479	90
AT401	Condenser for 48479	91
AQ865	Filter Pressure Plate for 48479	92
AT402	Left Windshield of Condenser for 48479	93
60663	Switch Display Bracket for 48479	94

Item No.	Description	Position
AL357	Castor without Brake for 48479	95
60672	Feet for 48479	96
AC057	Power Cord for 48479	97
66095	Wire Clip Cover for 48479	98
61246	Wire Clip Holder for 48479	99

Parts Breakdown

Model RS-CN-0530 43459



Parts Breakdown

Model RS-CN-0530 43459

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
AP390	Compressor for 43459	1	AO866	Foam of Left Side Board for 43459	30	AO882	General Assembly for Shelves for 43459	60
AP391	Base for 43459	2	60613	Dead Plate of Rear Foam for 43459	31	60639	Price Tag Holder for 43459	61
60599	Mesh Guard in Base for 43459	3	AO867	Left Support Pillar of Shelf for 43459	32	60644	Decorating Strip of Glass Deflector for 43459	62
AO860	Wiring Box for 43459	4	60615	Parry of Right Lining Plate for 43459	33	60647	Strip of Glass Deflector 2 for 43459	63
61167	Circuit Board Box for 43459	5	AP392	Condensator Right Windshield for 43459	34	67644	Glass Deflector for 43459	64
60594	Cover of Circuit Board Box for 43459	6	AP393	Left Windshield of Condenser for 43459	35	60645	Strip of Glass Deflector for 43459	65
AO861	Cap of Juncting Box for 43459	7	AO869	Upper Back Plate for 43459	36	60649	PE for Lower Board for 43459	66
AO862	LED Transformer for 43459	8, 49	AO870	Upper Front Board for 43459	37	AP397	Lower Front Board for 43459	67
61246	Wire Clip Holder for 43459	9	66097	Night Curtain for 43459	38	AP398	Capillary Filter Connection Tube for 43459	68
66095	Wire Clip Cover for 43459	10	AP394	Damper of Upper Air Outlet for 43459	39	70106	Dry Filter for 43459	69
60601	Foam of Base Plate for 43459	11	66099	Honeycomb Panel for 43459	40	AP399	Joint Pipe of Dry Filter for 43459	70
60602	Left Board of Evaporator Cover for 43459	12	AO872	Cover of Upper Air Outlet for 43459	41	AL576	Drain Joint for 43459	71
60603	Evaporator Cover for 43459	13	AO873	Upper Cover Plate for 43459	42	60668	Drain Pipe for 43459	72
60643	Right Plate of Evaporator Motor for 43459	14	67647	The Left of the Evaporator Water Box for 43459	43	AD518	Condenser Fan Motor for 43459	73
60632	Middle Support Pillar of Air Intake for 43459	15	60698	Lining Foam for 43459	44	60633	Side Panel Connector for 43459	74
AL374	Evaporator Fan Motor for 43459	16	60626	Lampshade Frame for 43459	45	AP401	Condenser for 43459	75
60641	Fan Guard for 43459	17	60627	Lampshade for 43459	46	68301	Strong Magnet for 43459	76
60640	Fan Blade for 43459	18	60628	Holder of Lampshade Frame for 43459	47	AR485	Switch (Higher Amp) for 43459	77
AO863	Plate of Left/Right Air Intake for 43459	19	AO874	Constant Voltage Patch LED Light for 43459	48	AP402	Switch Cover for 43459	78
60605	Evaporator Ventilation Damper for 43459	20	68392	Water Box Bracket for 43459	50	60660	Lower Front Waling for 43459	79
60604	Evaporator Holder for 43459	21	60655	Water Box for 43459	51	AI123	Main Board for 43459	80
AO864	Evaporator for 43459	22	AO876	Ventilated Board for 43459	52	67648	Temperature Display for 43459	80
60607	Evaporator Damper for 43459	23	60629	Parry of Right Lining Plate for 43459	53	60666	Temperature Probe for 43459	81
60608	Evaporator Wind Screen for 43459	24	AO877	Right Support Pillar of Shelf for 43459	54	AO887	Defrost Probe for 43459	82
60648	Lower Front Baffle Assembly for 43459	25	AO878	Foam of Right Board for 43459	55	AC057	Power Cord for 43459	83
60617	Rear Foam Baffle for 43459	26	AP395	Left Support Pillar of Shelf for 43459	56	60672	Feet for 43459	84
66096	Back Upper Crosspiece for 43459	27	AP396	Right Support Pillar of Shelf for 43459	57	AL357	Castor without Brake for 43459	85
AO865	Filter Pressure Plate for 43459	28	AD500	Jump Ring of LED for 43459	58	60653	High Pressure Evaporation Tube for 43459	86
60610	Parry of Lower Air Intake for 43459	29	AO881	Constant Voltage Patch LED Light for 43459	59	79359	Cover of Junction Box for 43459	87

Parts Breakdown

Model RS-CN-0530 43459


Item No.	Description	Position
61244	Terminal Box for 43459	88
60590	PVC Trucking for 43459	89
60670	PPR Tube Strap for 43459	90
79304	Pipe for Evaporated Water for 43459	91

Item No.	Description	Position
AO889	Water Pipe for 43459	92
AL376	Circlip for 43459	93
60652	High Pressure Evaporation Tube Pressure Plate for 43459	94
AP403	Switch Display Bracket for 43459	95

Item No.	Description	Position
AL306	Pagoda Water Mouth-Processing for 43459	96
68398	Copper Connection for 43459	97
60669	Pressing Plate of Dry Filter for 43459	98
60587	Water Receiver for 43459	99

Parts Breakdown

Model RS-CN-0700 41469



Parts Breakdown

Model RS-CN-0700 41469

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
AP414	Compressor (R290) for 41469	1	AO866	Foam of Left Side Board for 41469	30	AO906	Constant Voltage Patch LED Light for 41469	61
AP415	Base for 41469	2	60613	Dead Plate of Rear Foam for 41469	31	AO907	General Assembly for Shelves for 41469	62
70133	Mesh Guard in Base for 41469	3	AO867	Left Support Pillar of Shelf for 41469	32	67665	Price Tag Holder for 41469	63
AO860	Wiring Box for 41469	4	60615	Parry of Right Lining Plate for 41469	33	70151	Decorating Strip of Glass Deflector for 41469	64
61167	Circuit Board Box for 41469	5	AP417	Condensator Right Windshield for 41469	34	70149	Strip of Glass Deflector 2 for 41469	65
60594	Cover of Circuit Board Box for 41469	6	AP418	Left Windshield of Condenser for 41469	35	67666	Glass Deflector for 41469	66
AO861	Cap of Juncting Box for 41469	7	AO896	Lower Back Plate for 41469	36	60645	Strip of Glass Deflector for 41469	67
AO862	LED Transformer for 41469	8, 50	AO897	Upper Back Plate for 41469	37	67667	PE for Lower Board for 41469	68
60676	Wire Clip Holder for 41469	9	AO898	Upper Front Board for 41469	38	AO908	Lower Front Board for 41469	69
60677	Wire Clip Cover for 41469	10	66104	Night Curtain for 41469	39	AP420	Right High Voltage Evaporating Pipe for 41469	71-1
67653	Foam of Base Plate for 41469	11	AO899	Damper of Upper Air Outlet for 41469	40	AP421	Left High Voltage Evaporating Pipe for 41469	71-2
60680	Left Board of Evaporator Cover for 41469	12	67660	Honeycomb Panel for 41469	41	AO890	Drainage Pipe Bracket for 41469	72
70154	Evaporator Cover for 41469	13	AO900	Cover of Upper Air Outlet for 41469	42	70106	Dry Filter for 41469	73
60681	Left Plate of Evaporator Motor for 41469	14	AP419	Upper Cover Plate for 41469	43	AP422	Joint Pipe of Dry Filter for 41469	74
60684	Middle Support Pillar of Air Intake for 41469	15	AO902	The Left of the Evaporator Water Box for 41469	44	AL576	Drain Joint for 41469	75
AO892	Evaporator Fan Motor for 41469	16, 77	60698	Lining Foam for 41469	45	60668	Drain Pipe for 41469	76
60641	Fan Guard for 41469	17, 70	70141	Lampshade Frame for 41469	46	60633	Side Plate Connector for 41469	78
60640	Fan Blade for 41469	18	70142	Lampshade for 41469	47	AP423	Condenser for 41469	79
AO893	Plate of Left/Right Air Intake for 41469	19	60628	Holder of Lampshade Frame for 41469	48	68301	Strong Magnet for 41469	80
67654	Evaporator Ventilation Damper for 41469	20	AO903	Constant Voltage Patch LED Advertising Board Light for 41469	49	AR485	Switch (Higher Amp) for 41469	81
60604	Evaporator Holder for 41469	21	68392	Water Box Bracket for 41469	51	AO910	Switch Cover for 41469	82
AP416	Evaporator for 41469	22	60655	Water Box for 41469	52	70127	Lower Front Waling for 41469	83
67655	Evaporator Damper for 41469	23	AO904	Ventilated Board for 41469	53	67648	Temperature Display for 41469	84
67656	Evaporator Wind Screen for 41469	24	67662	Back Support for Board at Air Intake for 41469	54	AP424	Main Circuit Board for 41469	85
70153	Lower Front Baffle Assembly for 41469	25	60629	Parry of Right Lining Plate for 41469	55	60666	Temperature Probe for 41469	86
70120	Rear Foam Baffle for 41469	26	AO877	Right Support Pillar of Shelf for 41469	56	AO887	Defrost Probe for 41469	87
70143	Back Upper Crosspiece for 41469	27	AO878	Foam of Right Board for 41469	57	AO911	Power Cord for 41469	88
AO865	Filter Pressure Plate for 41469	28	AO905	Left/Right Support Pillar of Shelf for 41469	58, 59	60672	Feet for 41469	89
60610	Parry of Lower Air Intake for 41469	29	AD500	Jump Ring of LED for 41469	60	AL357	Castor without Brake for 41469	90


Parts Breakdown

Model RS-CN-0700 41469

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
67651	Water Connection Box Component for 41469	91	60670	PPR Tube Strap for 41469	99	AL306	Pagoda Water Mouth-Processing for 41469	107
AP425	Connecting Tube for Right Condenser and Dry Filter for 41469	92	79304	Pipe for Evaporated Water for 41469	100	68398	Copper Connection for 41469	108
AP426	Connecting Tube for Left Condenser and Dry Filter for 41469	93	AO889	Water Pipe for 41469	101	60669	Pressing Plate of Dry Filter for 41469	109
AP427	Right Air Return Duct for 41469	94	AL376	Circlip for 41469	102	AP432	WAGO Wire Connector for 41469	110
AP428	Left Air Return Duct for 41469	95	60652	High Pressure Evaporation Tube Pressure Plate for 41469	103	AP433	American Plug for 41469	111
AP429	Tee Joint for 41469	96	AP430	Baffle Board of Evaporator Motor for 41469	104	70111	Fan Motor for 41469	112
AO888	PVC Tube for 41469	97	AP403	Switch Display Bracket for 41469	105	60932	Fan Guard for 41469	113
60590	PVC Trucking for 41469	98	AP431	Top Baffle Board of Condenser for 41469	106	60933	Fan Blade for 41469	114

Parts Breakdown

Model RS-CN-1050 43460



Parts Breakdown

Model RS-CN-1050 43460

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
AP414	Compressor (R290) for 43460	1	67677	Thicker Crosspiece of Back Ventilated Board for 43460	28	60703	Back Support for Board at Air Intake for 43460	56
AP434	Base for 43460	2	60610	Parry of Lower Air Intake for 43460	29	60629	Parry of Right Lining Plate for 43460	57
60599	Mesh Guard in Base for 43460	3	AO866	Foam of Left Side Board for 43460	30	AO877	Right Support Pillar of Shelf for 43460	58
AO860	Wiring Box for 43460	4	60613	Dead Plate of Rear Foam for 43460	31	AO878	Foam of Right Board for 43460	59
61167	Circuit Board Box for 43460	5	AO867	Left Support Pillar of Shelf for 43460	32	AO905	Left/Right Support Pillar of Shelf for 43460	60, 61
60594	Cover of Circuit Board Box for 43460	6	60615	Parry of Right Lining Plate for 43460	33	AP437	Jump Ring of LED for 43460	62
AO861	Cap of Juncting Box for 43460	7	AP435	Right Windshield of Condenser for 43460	34	AO924	LED for 43460	63
AO862	LED Transformer for 43460	8, 50	AP436	Left Windshield of Condenser for 43460	35	AP438	General Assembly for Shelves for 43460	64
60676	Wire Clip Holder for 43460	9	AO914	Lower Back Plate for 43460	36	60709	Price Tag Holder for 43460	65
60677	Wire Clip Cover for 43460	10	AO915	Upper Back Plate for 43460	37	60712	Decorating Strip of Glass Deflector for 43460	66
60679	Foam of Base Plate for 43460	11	AO916	Upper Front Board for 43460	38	60710	Strip of Glass Deflector 2 for 43460	67
60680	Left Board of Evaporator Cover for 43460	12	60692	Night Curtain for 43460	39	67686	Glass Deflector for 43460	68
60603	Evaporator Cover for 43460	13	AO917	Damper of Upper Air Outlet for 43460	40	60645	Strip of Glass Deflector for 43460	69
60681	Left Plate of Evaporator Motor for 43460	14	60694	Honeycomb Panel for 43460	41	60713	Lower Front Board Components for 43460	70
60684	Middle Support Pillar of Air Intake for 43460	15	AO918	Cover of Upper Air Outlet for 43460	42	60714	PE for Lower Board for 43460	71
AO892	Evaporator Fan Motor for 43460	16	AO919	Upper Cover Plate for 43460	43	AO926	Lower Front Board for 43460	72
60932	Fan Guard for 43460	17	AO920	The Left of the Evaporator Water Box for 43460	44	AO927	The Right Side of the Evaporator Water Box for 43460	73
60640	Fan Blade for 43460	18	60698	Lining Foam for 43460	45	AP439	Right Joint Pipe of Compressor for 43460	74-1
AO875	Plate of Left/Right Air Intake for 43460	19	60700	Lampshade Frame for 43460	46	AP440	Left Joint Pipe of Compressor for 43460	74-2
60605	Evaporator Ventilation Damper for 43460	20	60701	Lampshade for 43460	47	60641	Fan Guard for 43460	75
60604	Evaporator Holder for 43460	21	60628	Holder of Lampshade Frame for 43460	48	AP441	Right Bottom High Pressure Evaporating Tube for 43460	76-1
AO864	Evaporator for 43460	22	AO921	LED in Light Box for 43460	49	AP442	Left Bottom High Pressure Evaporating Tube for 43460	76-2
60607	Evaporator Damper for 43460	23	60696	Vertical Plate of Upper Foam for 43460	51	AP443	Right Top High Pressure Evaporating Tube for 43460	76-3
60683	Evaporator Wind Screen for 43460	24	67684	Vertical Plate of Back Foam for 43460	52	AP444	Left Top High Pressure Evaporating Tube for 43460	76-4
AO912	Shock-Absorbing Parts for 43460	25	60686	Holding Plate of Back Foam Crosspiece for 43460	53	AO929	The Bracket on the Water Pipe for 43460	77
67676	Crosspiece of Back Foam for 43460	26	AO922	Middle Support Pillar of Shelf for 43460	54	70106	Dry Filter for 43460	78
66105	Back Upper Crosspiece for 43460	27	AO923	Ventilated Board for 43460	55	AP422	Joint Pipe of Dry Filter for 43460	79


Parts Breakdown

Model RS-CN-1050 43460

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
A0930	Drain Joint for 43460	80	A0887	Defrost Probe for 43460	90-4	AP450	Top Evaporating Pan Assembly for 43460	103
A0931	Drain Pipe for 43460	81	AC057	Power Cord for 43460	91	AP451	High Pressure Evaporation Connect Tube for 43460	104
70111	Fan Motor for 43460	82	60672	Feet for 43460	92	AP452	Connecting Tube for Right Condenser and Dry Filter for 43460	105
A0932	Under-Wear Pipe Bracket for 43460	83	AL357	Castor without Brake for 43460	93	AP453	Connecting Tube for Left Condenser and Dry Filter for 43460	106
60633	Side Panel Connector for 43460	84	60590	PVC Trucking for 43460	94	AP429	Tee Joint for 43460	107
AP423	Condenser for 43460	85	A0888	PVC Pipe for 43460	95	AP454	Top Baffle Board of Condenser for 43460	108
68301	Strong Magnet for 43460	86	60668	Drain Pipe for 43460	96	AP403	Switch Display Bracket for 43460	109
AR485	Switch (Higher Amp) for 43460	87	60670	PPR Tube Strap for 43460	97	A0865	Filter Pressure Plate for 43460	110
A0933	Switch Cover for 43460	88	AP445	Right Rear Bracket of Evaporating Pan for 43460	98	68398	Copper Connection for 43460	111
60721	Lower Front Waling for 43460	89	AP446	Right Front Bracket of Evaporating Pan for 43460	99	60669	Pressing Plate of Dry Filter for 43460	112
67648	Temperature Display for 43460	90-1	AP447	Left Rear Bracket of Evaporating Pan for 43460	100	AP432	WAGO Wire Connector for 43460	113
AP424	Main Circuit Board for 43460	90-2	AP448	Left Front Bracket of Evaporating Pan for 43460	101	60933	Fan Blade for 43460	114
A0934	Temperature Probe for 43460	90-3	AP449	Bottom Evaporating Pan Assembly for 43460	102	AP433	American Plug for 43460	115

Parts Breakdown

Model RS-CN-0440-B 48480



Parts Breakdown

Model RS-CN-0440-B 48480

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
AP390	Compressor for 48480	1	AT403	Air Inlet Panel - Plastic Coated for 48480	27	AT411	General Assembly for Shelf - Plastic Coated for 48480	53
60587	Water Receiver for 48480	2	60610	Parry of Lower Air Intake for 48480	28	AT388	Constant Voltage Patch LED Light 2 for 48480	54
79304	Pipe for Evaporated Water for 48480	3	AQ661	Left Side Board for 48480	29	AD500	Jump Ring of LED for 48480	55
60590	PVC Trucking for 48480	4	60613	Dead Plate of Rear Foam for 48480	30	AT389	Price Tag Holder for 48480	56
AT357	Switch Power Supply for 48480	5	AQ662	Left Support Pillar of Shelf for 48480	31	79366	Fan Blade for 48480	57
AT358	Cover of Terminal Box for 48480	6	60615	Parry of Right Lining Plate for 48480	32	60641	Fan Guard for 48480	58
AO860	Wiring Box for 48480	7	AT404	Ventilated Board - Plastic Coated for 48480	33	AL374	Evaporator Fan Motor for 48480	59
61167	Circuit Board Box for 48480	8	AT405	Upper Back Plate for 48480	34	60643	Left Plate of Evaporator Motor for 48480	60
60594	Cover of Circuit Board Box for 48480	9	AT375	Damper of Back Foam for 48480	35	AT390	Decorating Strip of Glass Deflector for 48480	61
AF546	Main Circuit Board for 48480	10	AT376	Back Upper Crosspiece for 48480	36	60645	Strip of Glass Deflector for 48480	62
AT359	Leakage Circuit Breaker Cover for 48480	11	AT377	Night Curtain for 48480	37	AT391	Glass Deflector for 48480	63
AT360	Leakage Circuit Breaker for 48480	12	AT406	Damper of Upper Air Outlet - Plastic Coated for 48480	38	AT392	Strip of Glass Deflector for 48480	64
AT361	Leakage Circuit Breaker Fixing Plate for 48480	13	68470	Honeycomb Plate for 48480	39	AT393	Lower Front Board Component for 48480	65
AT362	Mesh Guard in Base for 48480	14	AT407	Cover of Upper Air Outlet - Plastic Coated for 48480	40	AT394	PE Cotton for Lower Front Board for 48480	66
AT363	Base for 48480	15	AT408	Upper Cover Plate for 48480	41	AT412	Lower Front Board - Plastic Coated for 48480	67
AO889	Water Pipe for 48480	16	60698	Lining Foam for 48480	42	AT413	Curtain Hook - Plastic Coated for 48480	68
AL376	Circlip for 48480	17	AT409	Upper Front Board - Plastic Coated for 48480	43	68392	Water Box Bracket for 48480	69
AT364	Foam of Base Plate for 48480	18	AT382	Lampshade Frame for 48480	44	AD518	Condenser Fan Motor for 48480	70
60602	Left Board of Evaporator Cover for 48480	19	AT383	Lampshade for 48480	45	79365	Fan Guard for 48480	71
AT365	Evaporator Motor Cover for 48480	20	60628	Holder of Lampshade Frame for 48480	46	60640	Fan Blade for 48480	72
AT366	Evaporator Water Box for 48480	21	AT384	Constant Voltage Patch LED Light 1 for 48480	47	AT396	Connection Pipe for 48480	73
60604	Evaporator Holder for 48480	22	60629	Parry of Right Lining Plate for 48480	48	70106	Dry Filter for 48480	74
AT367	Evaporator Ventilation Damper for 48480	23	AQ669	Right Support Pillar of Shelf for 48480	49	AT397	High Pressure Evaporation Tube for 48480	75
AT368	Evaporator for 48480	24	AQ670	Right Side Board for 48480	50	60652	High Pressure Evaporation Tube Pressure Plate for 48480	76
AT369	Evaporator Damper for 48480	25	AT386	Rear Support of Air Inlet Panel for 48480	51	60655	Water Box for 48480	77
AT370	Evaporator Windshield for 48480	26	AT410	Support Pillar of Shelf - Plastic Coated for 48480	52	AL306	Pagoda Water Mouth-Processing for 48480	78


Parts Breakdown

Model RS-CN-0440-B 48480

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
68301	Strong Magnet for 48480	79	AD481	Overheating Probe for 48480	86	AT402	Left Windshield of Condenser for 48480	93
AT398	Right Windshield of Condenser for 48480	80	60670	PPR Tube Strap for 48480	87	60663	Switch Display Bracket for 48480	94
AT414	Shutter - Plastic Coated for 48480	81	60669	Pressing Plate of Dry Filter for 48480	88	AL357	Castor without Brake for 48480	95
AT415	Lower Front Crosspiece - Plastic Coated for 48480	82	60668	Drain Pipe for 48480	89	60672	Feet for 48480	96
67648	Temperature Display for 48480	83	68398	Copper Connection for 48480	90	AC057	Power Cord for 48480	97
AR485	Switch (Higher Amp) for 48480	84	AT401	Condenser for 48480	91	66095	Wire Clip Cover for 48480	98
60666	Temperature Probe for 48480	85	AO865	Filter Pressure Plate for 48480	92	61246	Wire Clip Holder for 48480	99

Parts Breakdown

Model RS-CN-0530-B 48265



Parts Breakdown

Model RS-CN-0530-B 48265

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
AP390	Compressor for 48265	1	AQ661	Left Side Board for 48265	30	A0882	General Assembly for Shelves for 48265	60
AP391	Base for 48265	2	60613	Dead Plate of Rear Foam for 48265	31	60639	Price Tag Holder for 48265	61
60599	Mesh Guard in Base for 48265	3	AQ662	Left Support Pillar of Shelf for 48265	32	60644	Decoration Strip of Glass Deflector for 48265	62
A0860	Wiring Box for 48265	4	60615	Parry of Right Lining Plate for 48265	33	60647	Strip of Glass Deflector 2 for 48265	63
61167	Circuit Board Box for 48265	5	AP392	Condensator Right Windshield for 48265	34	AQ672	Glass Deflector for 48265	64
60594	Cover of Circuit Board Box for 48265	6	AP393	Left Windshield of Condenser for 48265	35	60645	Strip of Glass Deflector for 48265	65
A0861	Cap of Juncting Box for 48265	7	AQ663	Upper Back Plate for 48265	36	60649	PE for Lower Board for 48265	66
A0862	LED Transformer for 48265	8, 49	AQ664	Upper Front Board for 48265	37	AQ673	Lower Front Board for 48265	67
61246	Wire Clip Holder for 48265	9	66097	Night Curtain for 48265	38	AP398	Capillary Filter Connection Tube for 48265	68
66095	Wire Clip Cover for 48265	10	AQ665	Damper of Upper Air Outlet for 48265	39	70106	Dry Filter for 48265	69
60601	Foam of Base Plate for 48265	11	66099	Honeycomb Panel for 48265	40	AP399	Joint Pipe of Dry Filter for 48265	70
60602	Left Board of Evaporator Cover for 48265	12	AQ666	Cover of Upper Air Outlet for 48265	41	AL576	Drain Joint for 48265	71
60603	Evaporator Cover for 48265	13	AQ667	Upper Cover Plate for 48265	42	60668	Drain Pipe for 48265	72
60643	Left Plate of Evaporator Motor for 48265	14	67647	The Left of the Evaporator Water Box for 48265	43	AD518	Condenser Fan Motor for 48265	73
60632	Middle Support Pillar of Air Intake for 48265	15	60698	Lining Foam for 48265	44	60633	Side Plate Connector for 48265	74
AL374	Evaporator Fan Motor for 48265	16	60626	Lampshade Frame for 48265	45	AP401	Condenser for 48265	75
60641	Fan Guard for 48265	17	60627	Lampshade for 48265	46	68301	Strong Magnet for 48265	76
60640	Fan Blade for 48265	18	60628	Holder of Lampshade Frame for 48265	47	AR485	Switch (Higher Amp) for 48265	77
AQ660	Plate of Left/Right Air Intake for 48265	19	AQ668	Constant Voltage Patch LED Light for 48265	48	AQ674	Window Shutter for 48265	78
60605	Evaporator Ventilation Damper for 48265	20	68392	Water Box Bracket for 48265	50	AQ675	Lower Front Crosspiece for 48265	79
60604	Evaporator Holder for 48265	21	60655	Water Box for 48265	51	67648	Temperature Display for 48265	80
A0864	Evaporator for 48265	22	A0876	Ventilated Board for 48265	52	AF546	Main Circuit Board for 48265	81
60607	Evaporator Damper for 48265	23	60629	Parry of Right Lining Plate for 48265	53	60666	Temperature Probe for 48265	82
60608	Evaporator Wind Screen for 48265	24	AQ669	Right Support Pillar of Shelf for 48265	54	A0887	Defrost Probe for 48265	83
60648	Lower Front Baffle Assembly for 48265	25	AQ670	Right Side Board for 48265	55	AC057	Power Cord for 48265	84
60617	Rear Foam Baffle for 48265	26	AP395	Left Support Pillar of Shelf for 48265	56	60672	Feet for 48265	85
66096	Back Upper Crosspiece for 48265	27	AP396	Right Support Pillar of Shelf for 48265	57	AL357	Castor without Brake for 48265	86
A0865	Filter Pressure Plate for 48265	28	AD500	Jump Ring of LED for 48265	58	60653	High Pressure Evaporation Tube for 48265	87
60610	Parry of Lower Air Intake for 48265	29	AQ671	Constant Voltage Patch LED Light for 48265	59	79359	Cover of Junction Box for 48265	88


Parts Breakdown

Model RS-CN-0530-B 48265

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
61244	Terminal Box for 48265	89	79304	Pipe for Evaporated Water for 48265	94	60663	Switch Display Bracket for 48265	99
A0888	PVC Pipe for 48265	90	A0889	Water Pipe for 48265	95	AL306	Pagoda Water Mouth-Processing for 48265	100
60590	PVC Trucking for 48265	91	AL376	Circlip for 48265	96	68398	Copper Connection for 48265	101
71518	Nut for 48265	92	A0890	Drainage Pipe Bracket for 48265	97	60669	Pressing Plate of Dry Filter for 48265	102
60670	PPR Tube Strap for 48265	93	60652	High Pressure Evaporation Tube Pressure Plate for 48265	98			

Parts Breakdown

Model RS-CN-0700-B 48266



Parts Breakdown

Model RS-CN-0700-B 48266

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
AP414	Compressor (R290) for 48266	1	AQ661	Left Side Board for 48266	30	AO906	Constant Voltage Patch LED Light for 48266	61
AP415	Base for 48266	2	60613	Dead Plate of Rear Foam for 48266	31	AO907	General Assembly for Shelves for 48266	62
70133	Mesh Guard in Base for 48266	3	AQ662	Left Support Pillar of Shelf for 48266	32	67665	Price Tag Holder Black for 48266	63
AO860	Wiring Box for 48266	4	60615	Parry of Right Lining Plate for 48266	33	70151	Decorating Strip of Glass Deflector for 48266	64
61167	Circuit Board Box for 48266	5	AP417	Condensator Right Windshield for 48266	34	70149	Strip of Glass Deflector 2 for 48266	65
60594	Cover of Circuit Board Box for 48266	6	AQ677	Left Windshield of Condenser for 48266	35	67666	Glass Deflector for 48266	66
AO861	Cap of Juncting Box for 48266	7	AQ678	Lower Back Plate for 48266	36	60645	Strip of Glass Deflector for 48266	67
AO862	LED Transformer for 48266	8, 50	AQ679	Upper Back Plate for 48266	37	67667	PE for Lower Board for 48266	68
60676	Wire Clip Holder for 48266	9	AQ680	Upper Front Board for 48266	38	AQ685	Lower Front Board for 48266	69
60677	Wire Clip Cover for 48266	10	66104	Night Curtain for 48266	39	AP420	Right High Voltage Evaporating Pipe for 48266	71-1
67653	Foam of Base Plate for 48266	11	AQ681	Damper of Upper Air Outlet for 48266	40	AP421	Left High Voltage Evaporating Pipe for 48266	71-2
60680	Left Board of Evaporator Cover for 48266	12	67660	Honeycomb Panel for 48266	41	AO890	Drainage Pipe Bracket for 48266	72
70154	Evaporator Cover for 48266	13	AQ682	Cover of Upper Air Outlet for 48266	42	70106	Dry Filter for 48266	73
60681	Left Plate of Evaporator Motor for 48266	14	AQ683	Upper Cover Plate for 48266	43	AP422	Joint Pipe of Dry Filter for 48266	74
60684	Middle Support Pillar of Air Intake for 48266	15	AO902	The Left of the Evaporator Water Box for 48266	44	AL576	Drain Joint for 48266	75
AO892	Evaporator Fan Motor for 48266	16, 77	60698	Lining Foam for 48266	45	60668	Drain Pipe for 48266	76
60641	Fan Guard for 48266	17, 70	70141	Lampshade Frame for 48266	46	60633	Side Plate Connector for 48266	78
60640	Fan Blade for 48266	18	70142	Lampshade for 48266	47	AP423	Condenser for 48266	79
AQ676	Plate of Left/Right Air Intake for 48266	19	60628	Holder of Lampshade Frame for 48266	48	68301	Strong Magnet for 48266	80
67654	Evaporator Ventilation Damper for 48266	20	AO903	Constant Voltage Patch LED Advertising Board Light for 48266	49	AR485	Switch (Higher Amp) for 48266	81
60604	Evaporator Holder for 48266	21	68392	Water Box Bracket for 48266	51	AQ686	Window Shutter for 48266	82
AP416	Evaporator for 48266	22	60655	Water Box for 48266	52	AQ687	Lower Front Crosspiece for 48266	83
67655	Evaporator Damper for 48266	23	AQ684	Ventilated Board for 48266	53	67648	Temperature Display for 48266	84
67656	Evaporator Wind Screen for 48266	24	67662	Back Support for Board at Air Intake for 48266	54	AP424	Main Circuit Board for 48266	85
70153	Lower Front Baffle Assembly for 48266	25	60629	Parry of Right Lining Plate for 48266	55	60666	Temperature Probe for 48266	86
70120	Rear Foam Baffle for 48266	26	AQ669	Right Support Pillar of Shelf for 48266	56	AO887	Defrost Probe for 48266	87
70143	Back Upper Crosspiece for 48266	27	AQ670	Right Side Board for 48266	57	AO911	Power Cord for 48266	88
AO865	Filter Pressure Plate for 48266	28	AO905	Left/Right Support Pillar of Shelf for 48266	58, 59	60672	Feet for 48266	89
60610	Parry of Lower Air Intake for 48266	29	AD500	Jump Ring of LED for 48266	60	AL357	Castor without Brake for 48266	90


Parts Breakdown

Model RS-CN-0700-B 48266

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
67651	Water Connection Box Component for 48266	91	60670	PPR Tube Strap for 48266	99	AL306	Pagoda Water Mouth-Processing for 48266	107
AP425	Connecting Tube for Right Condenser and Dry Filter for 48266	92	79304	Pipe for Evaporated Water for 48266	100	68398	Copper Connection for 48266	108
AP426	Connecting Tube for Left Condenser and Dry Filter for 48266	93	AO889	Water Pipe for 48266	101	60669	Pressing Plate of Dry Filter for 48266	109
AP427	Right Air Return Duct for 48266	94	AL376	Circlip for 48266	102	AP432	Wago Wire Connector for 48266	110
AP428	Left Air Return Duct for 48266	95	60652	High Pressure Evaporation Tube Pressure Plate for 48266	103	AP433	American Plug for 48266	111
AP429	Tee Joint for 48266	96	AP430	Baffle Board of Evaporator Motor for 48266	104	70111	Fan Motor for 48266	112
AO888	PVC Pipe for 48266	97	AP403	Switch Display Bracket for 48266	105	60932	Fan Guard for 48266	113
60590	PVC Trucking for 48266	98	AP431	Top Baffle Board of Condenser for 48266	106	60933	Fan Blade for 48266	114

Parts Breakdown

Model RS-CN-1050-B 48269



Parts Breakdown

Model RS-CN-1050-B 48269

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
AP414	Compressor (R290) for 48269	1	67677	Thicker Crosspiece of Back Ventilated Board for 48269	28	60703	Back Support for Board at Air Intake for 48269	56
AP434	Base for 48269	2	60610	Parry of Lower Air Intake for 48269	29	60629	Parry of Right Lining Plate for 48269	57
60599	Mesh Guard in Base for 48269	3	AQ661	Left Side Board for 48269	30	AQ669	Right Support Pillar of Shelf for 48269	58
A0860	Wiring Box for 48269	4	60613	Dead Plate of Rear Foam for 48269	31	AQ670	Right Side Board for 48269	59
61167	Circuit Board Box for 48269	5	AQ662	Left Support Pillar of Shelf for 48269	32	A0905	Left/Right Support Pillar of Shelf for 48269	60, 61
60594	Cover of Circuit Board Box for 48269	6	60615	Parry of Right Lining Plate for 48269	33	AP437	Jump Ring of LED Light for 48269	62
A0861	Cap of Juncting Box for 48269	7	AP435	Right Windshield of Condenser for 48269	34	A0924	LED for 48269	63
A0862	LED Transformer for 48269	8, 50	AP436	Left Windshield of Condenser for 48269	35	AP438	General Assembly for Shelves for 48269	64
60676	Wire Clip Holder for 48269	9	AQ689	Lower Back Plate for 48269	36	60709	Price Tag Holder for 48269	65
60677	Wire Clip Cover for 48269	10	AQ690	Upper Back Plate for 48269	37	60712	Decorating Strip of Glass Deflector for 48269	66
60679	Foam of Base Plate for 48269	11	AQ691	Upper Front Board for 48269	38	60710	Strip of Glass Deflector 2 for 48269	67
60680	Left Board of Evaporator Cover for 48269	12	60692	Night Curtain for 48269	39	67686	Glass Deflector for 48269	68
60603	Evaporator Cover for 48269	13	AQ692	Damper of Upper Air Outlet for 48269	40	60645	Strip of Glass Deflector for 48269	69
60681	Left Plate of Evaporator Motor for 48269	14	60694	Honeycomb Panel for 48269	41	60713	Lower Front Board Components for 48269	70
60684	Middle Support Pillar of Air Intake for 48269	15	AQ693	Cover of Upper Air Outlet for 48269	42	60714	PE for Lower Board for 48269	71
A0892	Evaporator Fan Motor for 48269	16	AQ694	Upper Cover Plate for 48269	43	AQ697	Lower Front Board for 48269	72
60932	Fan Guard for 48269	17	A0920	The Left of the Evaporator Water Box for 48269	44	A0927	The Right Side of the Evaporator Water Box for 48269	73
60640	Fan Blade for 48269	18	60698	Lining Foam for 48269	45	AP439	Right Joint Pipe of Compressor for 48269	74-1
AQ688	Plate of Left/Right Air Intake for 48269	19	60700	Lampshade Frame for 48269	46	AP440	Left Joint Pipe of Compressor for 48269	74-2
60605	Evaporator Ventilation Damper for 48269	20	60701	Lampshade for 48269	47	60641	Fan Guard for 48269	75
60604	Evaporator Holder for 48269	21	60628	Holder of Lampshade Frame for 48269	48	AP441	Right Bottom High Pressure Evaporating Tube for 48269	76-1
A0864	Evaporator for 48269	22	A0921	LED in Light Box for 48269	49	AP442	Left Bottom High Pressure Evaporating Tube for 48269	76-2
60607	Evaporator Damper for 48269	23	60696	Vertical Plate of Upper Foam for 48269	51	AP443	Right Top High Pressure Evaporating Tube for 48269	76-3
60683	Evaporator Wind Screen for 48269	24	67684	Vertical Plate of Back Foam for 48269	52	AP444	Left Top High Pressure Evaporating Tube for 48269	76-4
A0912	Shock-Absorbing Parts for 48269	25	60686	Holding Plate of Back Foam Crosspiece for 48269	53	A0929	The Bracket on the Water Pipe for 48269	77
67676	Crosspiece of Back Foam for 48269	26	AQ695	Middle Support Pillar of Shelf for 48269	54	70106	Dry Filter for 48269	78
66105	Back Upper Crosspiece for 48269	27	AQ696	Ventilated Board for 48269	55	AP422	Joint Pipe of Dry Filter for 48269	79

Parts Breakdown



Model RS-CN-1050-B 48269

Item No.	Description	Position	Item No.	Description	Position	Item No.	Description	Position
A0930	Drain Joint for 48269	80	A0887	Defrost Probe for 48269	90-4	AP450	Top Evaporating Pan Assembly for 48269	103
A0931	Drain Pipe for 48269	81	AC057	Power Cord for 48269	91	AP451	High Pressure Evaporation Connect Tube for 48269	104
70111	Fan Motor for 48269	82	60672	Feet for 48269	92	AP452	Connecting Tube for Right Condenser and Dry Filter for 48269	105
A0932	Under-Wear Pipe Bracket for 48269	83	AL357	Castor without Brake for 48269	93	AP453	Connecting Tube for Left Condenser and Dry Filter for 48269	106
60633	Side Plate Connector for 48269	84	60590	PVC Trucking for 48269	94	AP429	Tee Joint for 48269	107
AP423	Condenser for 48269	85	A0888	PVC Pipe for 48269	95	AP454	Top Baffle Board of Condenser for 48269	108
68301	Strong Magnet for 48269	86	60668	Drain Pipe for 48269	96	AP403	Switch Display Bracket for 48269	109
AR485	Switch (Higher Amp) for 48269	87	60670	PPR Tube Strap for 48269	97	A0865	Filter Pressure Plate for 48269	110
AQ698	Window Shutter for 48269	88	AP445	Right Rear Bracket of Evaporating Pan for 48269	98	68398	Copper Connection for 48269	111
AQ699	Lower Front Crosspiece for 48269	89	AP446	Right Front Bracket of Evaporating Pan for 48269	99	60669	Pressing Plate of Dry Filter for 48269	112
67648	Temperature Display for 48269	90-1	AP447	Left Rear Bracket of Evaporating Pan for 48269	100	AP432	Wago Wire Connector for 48269	113
AP424	Main Circuit Board for 48269	90-2	AP448	Left Front Bracket of Evaporating Pan for 48269	101	60933	Fan Blade for 48269	114
A0934	Temperature Probe for 48269	90-3	AP449	Bottom Evaporating Pan Assembly for 48269	102	AP433	American Plug for 48269	115

Electrical Schematics

Model RS-CN-0440 48479



Model RS-CN-0440-B 48480



Electrical Schematics

Model RS-CN-0530 43459



Model RS-CN-0530-B 48265



Electrical Schematics

Model RS-CN-0700 41469



Model RS-CN-0700-B 48266



Electrical Schematics

Model RS-CN-1050 43460

Model RS-CN-1050-B 48269



Notes

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Warranty Registration

Thank you for purchasing an Omcan product. To register your warranty for this product, complete the information below, tear off the card at the perforation and then send to the address specified below. You can also register online by visiting:

Merci d'avoir acheté un produit Omcan. Pour enregistrer votre garantie pour ce produit, complétez les informations ci-dessous, détachez la carte au niveau de la perforation, puis l'envoyer à l'adresse spécifiée ci-dessous. Vous pouvez également vous inscrire en ligne en visitant:

Gracias por comprar un producto Omcan usted. Para registrar su garantía para este producto, complete la información a continuación, cortar la tarjeta en la perforación y luego enviarlo a la dirección indicada a continuación. También puede registrarse en línea en:

<https://omcan.com/warranty-registration/>

For mailing in Canada

Pour postale au Canada

Por correo en Canadá

OMCAN

PRODUCT WARRANTY REGISTRATION

3115 Pepper Mill Court,
Mississauga, Ontario
Canada, L5L 4X5

For mailing in the US

Pour diffusion aux États-Unis

Por correo en los EE.UU.

OMCAN

PRODUCT WARRANTY REGISTRATION

4450 Witmer Industrial Estates, Unit 4,
Niagara Falls, New York
USA, 14305

or email to: service@omcan.com



Purchaser's Information

Name: _____

Address: _____

City: _____ Province or State: _____ Postal or Zip: _____

Country: _____

Dealer from which Purchased: _____

Dealer City: _____ Dealer Province or State: _____

Invoice: _____

Model Name: _____ Model Number: _____

Machine Description: _____

Date of Purchase (MM/DD/YYYY): _____

Would you like to extend the warranty? ☐ Yes ☐ No

Company Name: _____

Telephone: _____

Email Address: _____

Type of Company:

☐ Restaurant ☐ Bakery ☐ Deli

☐ Butcher ☐ Supermarket ☐ Caterer

☐ Institution (*specify*): _____

☐ Other (*specify*): _____

Serial Number: _____

Date of Installation (MM/DD/YYYY): _____

Thank you for choosing Omcan | Merci d'avoir choisi Omcan | Gracias por elegir Omcan



Since 1951 Omcan has grown to become a leading distributor of equipment and supplies to the North American food service industry. Our success over these many years can be attributed to our commitment to strengthen and develop new and existing relationships with our valued customers and manufacturers. Today with partners in North America, Europe, Asia and South America, we continually work to improve and grow the company. We strive to offer customers exceptional value through our qualified local sales and service representatives who provide convenient access to over 6,500 globally sourced products.

Depuis 1951 Omcan a grandi pour devenir un des “leaders” de la distribution des équipements et matériel pour l’industrie des services alimentaires en Amérique du Nord. Notre succès au cours de ces nombreuses années peut être attribué à notre engagement à renforcer et à développer de nouvelles et existantes relations avec nos clients et les fabricants de valeur. Aujourd’hui avec des partenaires en Amérique du Nord, Europe, Asie et Amérique du Sud, nous travaillons continuellement à améliorer et développer l’entreprise. Nous nous efforçons d’offrir à nos clients une valeur exceptionnelle grâce à nos ventes locales qualifiées et des représentants de service qui offrent un accès facile à plus de 6500 produits provenant du monde entier.

Desde 1951 Omcan ha crecido hasta convertirse en un líder en la distribución de equipos y suministros de alimentos en América del Norte industria de servicios. Nuestro éxito en estos años se puede atribuir a nuestro compromiso de fortalecer y desarrollar nuevas relaciones existentes con nuestros valiosos clientes y fabricantes. Hoy con socios de América del Norte, Europa, Asia y América del Sur, que trabajan continuamente para mejorar y crecer la empresa. Nos esforzamos por ofrecer a nuestros clientes valor excepcional a través de nuestro local de ventas y representantes de los servicios que proporcionan un fácil acceso a más de 6,500 productos con origen a nivel mundial.

