



STORAGE SOLUTION

SERVING THE FOOD INDUSTRY SINCE 1951

CAN RACKS

Items 27769, 27770

KEEP YOUR CANNED GOODS ORGANIZE AND ACCESSIBLE

Ideal for bakeries, bars, restaurants, and other business operations

Omcan's can racks are specially designed to keep your canned goods organize and accessible without even having to waste your time looking what you need in the kitchen. With an option whether to have a countertop can rack or a standing one, these are welded for durability for long-lasting use. Fully assembled.







$\Delta iith$	orize	d De	aler

STORAGE SOLUTION

CAN RACK WITH 4 LAYERS OF CAN STORAGE



FEATURES

- Aluminum table
- 5" Casters included for mobility
- 4 layers of can storage
- Welded for durability
- Fully assembled

REPLACEMENT CASTERS (Casters can be purchased separately)

Can Rack Wheel with Brake, polypropylene and polyurethane for items 27769 and 27770

ITEM

31753

BRAKES

Yes

SIZE

5" (127 mm) dia., 1.25" (31.75 mm) thick

MAXIMUM LOADING CAPACITY

50 kg. / 110 lbs.



Can Rack Wheel without Brake, polypropylene and polyurethane for items 27769 and 27770

ITEM BRAKES 31754

ES

No

SIZE

5" (127 mm) dia., 1.25" (31.75 mm) thick

MAXIMUM LOADING CAPACITY

50 kg. / 110 lbs.



TECHNICAL SPECIFICATIONS

ITEM NUMBER

RACK DIMENSIONS

NUMBER OF ROWS

CAN CAPACITY (Stationary Capacity)

ALUMINUM TABLE THICKNESS

RUNNER THICKNESS

DIMENSIONS (DWH)

WEIGHT

PACKAGING WEIGHT

27770

35.5" x 23" / 901.7 x 584.2 mm

12

72 - #10 cans / 96 - #5 cans

4.8 mm

2 mm

35.25" x 26.5" x 42.5" / 895.35 x 673.1 x 1079.5 mm

50.75 lbs. / 23 kg.

51.75 lbs. / 23.52 kg.

OMCAN INC.

Telephone: 1-800-465-0234
Fax: (905) 607-0234
Email: sales@omcan.com
Website: www.omcan.com

















STORAGE SOLUTION

CAN RACK WITH 9 LAYERS OF CAN STORAGE



FEATURES

- 9 layers of can storage
- · Welded for durability
- Fully assembled
- 5" Casters included for mobility

REPLACEMENT CASTERS (Casters can be purchased separately)

Can Rack Wheel with Brake, polypropylene and polyurethane for items 27769 and 27770

ITEM BRAKES 31753 Yes

SIZE

5" (127 mm) dia.,

MAXIMUM LOADING CAPACITY

50 kg. / 110 lbs.

1.25" (31.75 mm) thick

CAPA

Can Rack Wheel with

Can Rack Wheel without Brake, polypropylene and polyurethane for items 27769 and 27770

ITEM

31754

BRAKES

No

SIZE

5" (127 mm) dia., 1.25" (31.75 mm) thick

MAXIMUM LOADING CAPACITY

50 kg. / 110 lbs.

27769 Use without casters

TECHNICAL SPECIFICATIONS

ITEM NUMBER

RACK DIMENSIONS

NUMBER OF ROWS

CAN CAPACITY (Stationary Capacity)

RUNNER THICKNESS

DIMENSIONS (DWH)

WEIGHT

PACKAGING WEIGHT

27769

35.5" x 23" / 901.7 x 584.2 mm

27

162 - #10 cans / 216 - #5 cans

2 mm

29" x 26.5" x 71" / 736.6 x 673.1 x 1803.4 mm

51.75 lbs. / 23.52 kg.

53 lbs. / 24 kg.



OMCAN INC.

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com













