

## Grab-and-Go Refrigerated Showcase

Item:	41469	43459	43460	48479
Model:	RS-CN-0700	RS-CN-0530	RS-CN-1050	RS-CN-0440




**Keep food fresh and visible with this Grab-and-Go refrigerated display.**

This open refrigerated display is perfect for showcasing products while providing easy access for customers. It features bright LED lighting under each shelf and adjustable shelves to accommodate a variety of merchandise.

Designed for energy efficiency and space savings, it includes a pull-down night curtain and a digital temperature control with display to keep products fresh. The unit also offers smooth mobility with four casters, a ventilated cooling system for even airflow, and automatic defrost for hassle-free maintenance.

**FEATURES:**

- Material: Stainless Steel
- Pull down curtain
- LED lighting under each shelf
- Adjustable shelves
- Digital temperature control & display
- 4 Casters
- Ventilated cooling system
- Automatic defrost



Authorized Dealer



Made in China

## TECHNICAL SPECIFICATION

Features	30" wide 15.5 cu.ft. capacity	36" wide with 18.7 cu.ft.capacity	48" wide with 24.7 cu.ft. capacity	72" wide with 37 cu.ft.capacity
Item	48479	43459	41469	43460
Model	RS-CN-0440	RS-CN-0530	RS-CN-0700	RS-CN-1050
Capacity	440 L / 15.5 cu. ft.	530 L / 18.7 cu. ft.	700 L / 24.7 cu.ft.	1050 L / 37 cu.ft.
Shelf Load Capacity	25 kg/ 55.1 lbs	25 kg/ 55 lbs	30 kg/ 66 lbs	50 kg/ 110 lbs
Number of Shelves	5	5	5	5
Number of Casters	4	4	4	4
Power	1700 W	1700 W	2550 W	2400 W
Electrical	110V / 60Hz / 1Ph	120V / 60Hz / 1Ph	220V / 60Hz / 1Ph	220V / 60Hz / 1Ph
Temperature Range	2 - 10°C / 35.6 - 50°F			
Lamp Power (W)	35 W	56 W	52.5 W	52.2 W
Refrigerant	R290			
Current	16 A	16 A	12.1 A	11.5 A
Shelf Dimensions	26" x 12" / 665 x 309 mm	44" x 12" / 1120 x 310 mm	44" x 12" / 1120 x 310 mm	54" x 12.2" / 1372.4 x 310 mm
Interior Dimensions	32.8" x 21" x 51" / 834.7 x 543 x 1300 mm	33" x 21" x 51" / 835 x 543 x 1300 mm	45" x 21" x 51" / 1140 x 543 x 1300 mm	69" x 21" x 51" / 1747 x 543 x 1300 mm
Foaming Agent	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane
Net Dimensions (WDH)	30" x 30.1" x 81.5" / 762 x 765 x 2070 mm	36" x 30.1" x 81.5" / 915 x 765 x 2070 mm	48" x 30.1" x 81.5" / 1220 x 765 x 2070 mm	72" x 30.1" x 81.5" / 1829 x 765 x 2070 mm
Gross Dimesions (WDH)	33.9" x 33.5" x 87.8" / 862 x 850 x 2230 mm	40" x 33.5" x 87.8" / 1015 x 853 x 2230 mm	52" x 33.5" x 87.8" / 1320 x 853 x 2230 mm	76" x 33.5" x 87.8" / 1930 x 850 x 2230 mm
Net Weight	276.7 lbs/ 125.5 kgs	335.1 lbs/ 152 kgs	426.6 lbs/ 193.5 kgs.	565.5 lbs/ 256.5 kgs
Gross Weight	332.9 lbs/ 151 kgs	388 lbs/ 176 kgs	486.1 lbs/ 220.5 kgs	652.6 lbs/ 296 kgs
Plug Type	NEMA 5-20P	NEMA 5-20P	NEMA 6-20P	NEMA 6-20P

Note: Item 41469 contains a water box component with a heating block, which increases power usage in comparison to item 43460, resulting in higher power and current.

## TECHNICAL DRAWING

