# Grab-and-Go Refrigerated Showcase

| | | | | |
|---|---|---|---|---|
| Item: | 41469 | 43459 | 43460 | 48479 |
| Model: | RS-CN-0700 | RS-CN-0530 | RS-CN-1050 | RS-CN-0440 |

## Keep foods fresh and in customer-view with this high performance Grab-and-Go refrigerated showcase.

This open refrigerated display is a perfect addition to any establishment, offering easy access, bright LED lighting and adjustable shelves for flexible merchandise. Designed to save space and energy, it features a night curtain and digital temperature controls to keep products fresh and ready to grab.

48479 - **30"**

43459 - **36"**

41469 - **48"**

43460 - **72"**

**FEATURES:**

- Material: Stainless Steel
- Pull down curtain
- LED lighting under each shelf
- Adjustable shelves
- Digital temperature control & display
- 4 Casters
- Ventilated cooling system
- Automatic defrost

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com

Authorized Dealer

2 YEARS WARRANTY
2 YEARS PARTS AND LABOUR
5 YEARS ON COMPRESSOR

Intertek Intertek

MADE IN CHINA

# Grab-and-Go Refrigeration

| TECHNICAL SPECIFICATION | | | | |
|---|---|---|---|---|
| Features | **30" wide 15.5 cu.ft. capacity** | **36" wide with 18.7 cu.ft.capacity** | **48" wide with 24.7 cu.ft. capacity** | **72" wide with 37 cu.ft.capacity** |
| Item | 48479 | 43459 | 41469 | 43460 |
| Model | RS-CN-0440 | RS-CN-0530 | RS-CN-0700 | RS-CN-0084 |
| Capacity | 440 L / 15.5 cu. ft. | 530 L / 18.7 cu. ft. | 700 L / 24.7 cu.ft. | 1050 L/ 37 cu.ft. |
| Shelf Load Capacity | 25 kg/ 55.1 lbs | 25 kg/ 55 lbs | 30 kg/ 66 lbs | 50 kg/ 110 lbs |
| Number of Shelves | 5 | 5 | 5 | 5 |
| Number of Casters | 4 | 4 | 4 | 4 |
| Power | 1700 W | 1340 W | 2650 W | 1960 W |
| Electrical | 110V / 60Hz / 1Ph | 120V / 60Hz / 1Ph | 220V / 60Hz / 1Ph | 220V / 60Hz / 1Ph |
| Temperature Range | 2 - 10°C / 35.6 - 50°F | | | |
| Lamp Power (W) | - | 1.44 Watts x 6 (LED) | | |
| Refrigerant | R290 | | | |
| Rated Current | 11.8 A | 11.8 A | 12 | 9.6 |
| Foaming Agent | Cyclopentane | C5H10 | XPS | C5H10 |
| Net Dimensions (WDH) | 30" x 30.1" x 81.5"/ 762 x 765 x 2070 mm | 36" x 30.1" x 81.5"/ 915 x 765 x 2070 mm | 48" x 30.1" x 81.5"/ 1220 x 765 x 2070 mm | 72" x 30.1" x 81.5"/ 1829 x 765 x 2070 mm |
| Gross Dimesions (WDH) | 33.9" x 33.5" x 87.8"/ 862 x 850 x 2230 mm | 40" x 33.5" x 87.8"/ 1015 x 853 x 2230 mm | 52" x 33.5" x 87.8"/ 1320 x 853 x 2230 mm | 76" x 33.5" x 87.8"/ 1930 x 850 x 2230 mm |
| Net Weight | 276.7 lbs/ 125.5 kgs | 335.1 lbs/ 152 kgs | 426.6 lbs/ 193.5 kgs. | 565.5 lbs/ 256.5 kgs |
| Gross Weight | 332.9 lbs/ 151 kgs | 388 lbs/ 176 kgs | 486.1 lbs/ 220.5 kgs | 652.6 lbs/ 296 kgs |

## TECHNICAL DRAWING




Item 41469/ 48266




Item 43459/ 48265




Item 48479/ 48480




Item 43460/ 48269