

## Refrigerated Sushi Showcases with Flat Glass

ITEM: 43492  
MODEL: RS-CN-0044

44393  
RS-CN-0064

44394  
RS-CN-0084

44395  
RS-CN-0104



43492  
45"/ 1.55 cu.ft. / 44 L



44393  
51"/ 2.26 cu.ft. / 64 L



44394  
58"/ 2.96 cu.ft. / 84 L



44395  
69"/ 3.67 cu.ft. / 104 L

**Keep your sushi fresh, delicious, and ready to serve while boosting visibility and sales.**

Omcan's refrigerated sushi cases are ideal for displaying a variety of sushi while preserving freshness and presentation—perfect for sushi bars and restaurants. The unit features bright internal LED lighting and a front flat glass design that enhances product visibility. A digital temperature controller and display ensures precise temperature. Sliding rear doors provides convenient access while the direct cooling system delivers consistent performance. An additional non-refrigerated upper shelf offers extra storage, and GN pans can be ordered separately.

### FEATURES:


- Brilliant Internal LED illumination
- Additional non-refrigerated upper shelf
- Digital temperature controller & display
- Front flat glass
- Sliding doors
- Direct cooling system
- GN pan can be ordered

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: [sales@omcan.com](mailto:sales@omcan.com)

Website: [www.omcan.com](http://www.omcan.com)



FOR 44395 ONLY



FOR 44394, 44393, 43492



NEMA  
5-15P  
125VAC / 15 AMP





FRONT VIEW




BACK VIEW


## TECHNICAL SPECIFICATION

| Features                  | 45" wide with<br>1.55 cu.ft. capacity          | 51" wide with<br>2.26 cu.ft. capacity          | 58" wide with<br>3 cu.ft. capacity             | 69" wide with<br>3.67 cu.ft. capacity          |
|---------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|
| Item                      | 43492                                          | 44393                                          | 44394                                          | 44395                                          |
| Model                     | RS-CN-0044                                     | RS-CN-0064                                     | RS-CN-0084                                     | RS-CN-0104                                     |
| Capacity                  | 1.55 cu.ft. / 44 L                             | 2.26 cu.ft. / 64 L                             | 2.96 cu.ft. / 84 L                             | 3.67 cu.ft. / 104 L                            |
| Number of Doors           | 1 Sliding Door                                 | 1 Sliding Door                                 | 1 Sliding Door                                 | 1 Sliding Door                                 |
| Number of Pans            | 4 x 1/3 GN                                     | 5 x 1/3 GN                                     | 6 x 1/3 GN                                     | 5 x 1/2 GN                                     |
| Power                     | 180 W                                          | 180 W                                          | 180 W                                          | 180 W                                          |
| Current                   | 1.6 A                                          | 1.6 A                                          | 1.6 A                                          | 1.6 A                                          |
| Electrical                | 110V / 60Hz / 1Ph                              |                                                |                                                |                                                |
| Temperature Range         | 12 to 0°C / 54 to 32°F                         |                                                |                                                |                                                |
| Refrigerant               | R290                                           |                                                |                                                |                                                |
| Injection                 | 35g                                            |                                                |                                                |                                                |
| Plug Type                 | NEMA 5-15P                                     |                                                |                                                |                                                |
| Interior Dimensions (WDH) | 29" x 14" x 11" /<br>744 x 360 x 285 mm        | 36" x 14" x 11" /<br>920 x 360 x 285 mm        | 43" x 14" x 11" /<br>1096 x 360 x 285 mm       | 54" x 14" x 11" /<br>1367 x 360 x 285 mm       |
| Net Weight                | 86 lbs / 39 kgs                                | 94.8 lbs/ 43 kgs                               | 103.6 lbs/ 47 kgs                              | 116.8 lbs/ 53 kgs                              |
| Net Dimensions (WDH)      | 44.5" x 15.6" x 14.8" /<br>1130 x 395 x 375 mm | 51.5" x 15.6" x 14.8" /<br>1130 x 395 x 375 mm | 58.4" x 15.6" x 14.8" /<br>1483 x 395 x 375 mm | 69.1" x 15.6" x 14.8" /<br>1754 x 395 x 375 mm |
| Gross Weight              | 92.6 lbs / 42 kgs                              | 101.4 lbs/ 46 kgs                              | 110.2 lbs/ 50 kgs                              | 125.7 lbs / 57 kgs                             |
| Gross Dimensions (WDH)    | 46.7" x 18.3" x 17" /<br>1187 x 465 x 430 mm   | 53.7" x 18.3" x 17" /<br>1363 x 465 x 430 mm   | 60.6" x 18.3" x 17" /<br>1539 x 465 x 430 mm   | 71.3" x 18.3" x 17" /<br>1810 x 465 x 430 mm   |


TECHNICAL DRAWING




Item: 43492/ 45"/ 1.55 cu.ft. /44 L



Item: 44394/ 58"/ 2.96 cu.ft. / 84 L



Item: 44393/ 51"/ 2.26 cu.ft. / 64 L



Item: 44395/ 69"/ 3.67 cu.ft. / 104 L

