Stainless Steel Open Well Electric Steam Tables

Item:	46646	46574	46647	46648
Model:	FW-CN-0002-H	FW-CN-0003-H	FW-CN-0004-DH	FW-CN-0004-FH

46646

46574

46647

46648

Keep your hot foods readily available at safe temperature.

Perfect for buffet and catering services, Omcan's Stainless Steel Open Well Electric Steam Tables with Cutting Board and Undershelf are designed to keep your hot foods readily available at safe temperature. With a durable stainless steel construction, these food warmers have a convenient undershelf where you could store extra serving utensils, food pans, or any other kitchen tools that you need, as well as a polycarbonate cutting board as an extra work space in case you need to fill out food pans or plates.

FEATURES:

✓ Stainless steel structure with individual control

✓ Adjustable stainless steel undershelf and removable polyethylene cutting board

✓ Adjustable stainless steel feet

✓ Stainless steel heating element

✓ 2 independent infinite controls

✓ Spillage pans are required for wet operations

✓ Spillage pan (80907) sold separately

1 YEAR WARRANTY PARTS AND LABOUR

NEMA
6 - 20P
250VAC / 20 AMP

#46646 & #46574

NEMA
6 - 30P
250VAC / 30 AMP

#46647 & #46648

Authorized Dealer

MADE IN CHINA

ETL LISTED US Intertek

ETL Intertek

| TECHNICAL SPECIFICATION				
Item	46646	46574	46647	46648
Features	**30" Width & 2 Pans Capacity**	**44" Width & 3 Pans Capacity**	**58" Width & 4 Pans Capacity**	**72" Width & 5 Pans Capacity**
Model	FW-CN-0002-H	FW-CN-0003-H	FW-CN-0004-DH	FW-CN-0005-FH
Power	2000W	3000W	4000W	5000W
Number of Pans	2 (not included)	3 (not included)	4 (not included)	5 (not included)
Maximum Temperature	~ 100ºC (212ºF)	~ 100ºC (212ºF)	~ 100ºC (212ºF)	~ 100ºC (212ºF)
Electrical	240V / 60Hz / 1Ph			
Amps	8.3A	12.5A	16.6A	20.8A
Material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Cutting Board Material	Polyethylene	Polyethylene	Polyethylene	Polyethylene
Pan Size	20.78" x 12.8" x 6" (527.8 x 325 x 152.4 mm)	20.78" x 12.8" x 6" (527.8 x 325 x 152.4 mm)	20.78" x 12.8" x 6" (527.8 x 325 x 152.4 mm)	20.78" x 12.8" x 6" (527.8 x 325 x 152.4 mm)
Undershelf Size	27.6" x 18" x 2" (702 x 462 x 50 mm)	42" x 18" x 2" (1058 x 462 x 50 mm)	56" x 18" x 2" (1414 x 462 x 50 mm)	69.7" x 18" x 2" (1770 x 462 x 50 mm)
Net Dimensions (WDH)	30" x 30" x 34" (763 x 772 x 870 mm)	44" x 30" x 34" (1119 x 772 x 870 mm)	58" x 30" x 34" (1475 x 772 x 870 mm)	72" x 30" x 34" (1830 x 772 x 870 mm)
Gross Dimensions (WDH)	34" x 25" x 20" (860 x 640 x 520 mm)	48" x 25" x 20" (1210 x 640 x 520 mm)	61" x 25" x 20" (1560 x 640 x 520 mm)	75" x 25" x 20" (1910 x 640 x 520 mm)
Net Weight	75 lbs. (34 kg)	99 lbs. (45 kg)	128 lbs. (58 kg)	150 lbs. (68 kg)
Gross Weight	101 lbs. (46 kg)	132 lbs. (60 kg)	165 lbs. (75 kg)	194 lbs. (88 kg)

NEMA 6 - 20P 250VAC / 20 AMP	NEMA 6 - 20P 250VAC / 20 AMP	NEMA 6 - 30P 250VAC / 30 AMP	NEMA 6 - 30P 250VAC / 30 AMP

Spillage pan (80907)

TECHNICAL DRAWING

Heating Element
Insulating cotton
terminal block
Strain Relief

Light   Plastic Knob

Item: 46646
UOM: mm

46646

Heating Element
Insulating cotton
terminal block
Strain Relief

Light   Plastic Knob

Item: 46574
UOM: mm

46574

OMCAN

TECHNICAL DRAWING

ITEM: 46647
UOM: mm

46647

46648