

## Stagionello® Dry Age 3.0 TWIN 1400 Liter, 150Kg + 150Kg Dry Aging Cabinet with Humidity Management

ITEM: 48046 48047 48048  
MODEL: MM-IT-1400-TWC MM-IT-1400-TWCV MM-IT-1400-TWCAV



DRY-AGED MEAT AND FISH SAFELY !

### Simple, Safe and Intuitive Dry Age Control 3.0

Multifunctional display cabinets are intended to preserve fresh or Dry-Aged goods for an extended period naturally.

To improve professionals' experience, an attractive and elegant design is offered in three different capacities and three distinct display versions. The revolutionary drop-weight management systems and unique pH detection and monitoring function of Stagionello Dry-Age 3.0 allow for continuous food-safe chilling, drying, and storing of meat and fish.

Stagionello Dry Age 3.0 produces

**NO WASTE, NO MOULD, NO UNWATED ODOURS**

#### Umiright®

The specialized moisture magement system that ensures higher quality for longer, resulting in less waste and more profit, maybe be use to regulated drop-weight at any time

#### Dynaflow®


Ensures a healthy and safe environment by managing thermodynamics and air speed to guarantee optimal aeration for improved food preservation.

1-833-487-3686

[www.trentoequipment.com](http://www.trentoequipment.com)

[sales@trentoequipment.com](mailto:sales@trentoequipment.com)

Follow us on social media  
[@trentoequipment](#)



Authorized Dealer



**WARRANTY**  
PARTS AND LABOUR



## The Advantages with the Original Stagionello®



**E.F.S.A. Dry Age Compliant**  
(European Food Safety Authority)



**U.T.A. Air Treatment Unit in AISI 304**  
Stainless Steel - No Polystyrene



**EU Dry-Age Compliant System**  
PATENT N. 276878



**Real Humidity Management with**  
Umiright®



**Internal Structure in AISI 304**  
Stainless Steel as Standard



**Drop-Weight Management Systems**  
as Standard



**Energy-Saving Efficient System**



**Tank or Direct Water Connection**



**Zero Installation Costs thanks to**  
“Plug & Dry” System



**Reduces Waste**



**pH Reading, Monitoring and Alarms**



**FCM Certificate**  
(Materials Suitable for Contact with Food)

## Dry-Age Control 3.0

- 100% in Italian made,
- 100% built of Stainless Steel AISI 304,
- Superior quality, and provide a tool for the authentic dry-aging of meat and fish

Choosing Stagionello® Dry-Age 3.0 cabinets means relying on the “friendly user” intelligence of Dry-Age control 3.0, the translation of professional dry-aging technology! Two distinct devices, each tailored to the qualities of fresh or matured meat and fish, to ensure excellent and consistent Dry-Age drying.

## 10 climatic recipes to make - 5 different dry-aging process, and 5 different fresh meat preservation

4 scientifically validated preset recipes dedicated to beef, pig, sheep/goat, and wild meat. 1 custom recipe for creating your own Dry-Age program by customizing the time, temperature, humidity, and ventilation! Quality is guaranteed due to the distinctive proprietary methods found on all Stagionello® Dry-Age 3.0 systems.

## 2 HACCP System for Best Analysis

**Stagionello®** is concerned about food safety and provides experts with a specialized dual verification system for standard and unique recipes, logging temperature, humidity, and pH by event date and time. Everything is available at all times on a designated screen that can be viewed online.

## Eco-Friendly System

- **20% less energy** - This modern technology guarantees high performance with 20% less energy than similar systems on the market.
- **Eco Sustainable** - Stagionello® reduces the use of plastic on all devices in support of greater environmental sustainability.
- **Less Waste** - By increasing the shelf life of food up to 30 days with the Dry-Age process, we jointly promote the reduction of food waste for the benefit of the environment, the economy and the well-being of people.

## Features



Display touch-screen 4.3" with smart icon



Temperature Range inside from -3° to +30°C



pH-metric system for continuous reading and monitoring of alkaline and acid pH alarm (optional)



4 integrated Dry-Age climatic recipes for meat or fish + 1 custom 4 integrated



Dry-Age Control 3.0 for professional dry-aging



Double HACCP conforms to the International Food Safety Regulation





Adjustable Ventilation



Humidity setting from 30% to 99%

## How to Use PLUG AND DRY - Stagionello Dry Age All in One

### MEAT



### FISH




### STEPS:

1. Choose Recipes
2. Choose Meat
3. Choose A Dry Age or Preservation Program
4. Choose the Climatic Recipe







For Meat:  
Beef, Pork, Sheep, or Game

For Fish:  
Fish, Shellfish, or Crustaceans

**Technical Specification**

Features	Standard (2 Glass Doors)	2-Glass View ( Including 2 Glass Doors)	4-Glass View (Including 2 Glass Doors)
Product Image			
Item	48046	48047	48048
Model	MM-IT-1400-TWC	MM-IT-1400-TWCV	MM-IT-1400-TWCAV
Capacity	49.5 cu.ft. (1400 L)		
Material Interior	Stainless Steel AISI 304		
Material Exterior	Stainless Steel AISI 304 or painted sheet metal		
Number of Doors	2 Glass Doors - Swing Door		
Number of Shelves	4+4		
Shelf Capacity (Maximum)	77 lb. (35 kg.)		
Power (Watts/ Horsepower)	Max 3500 W - rated 1300 W		
Amps	Max 15.0 A - 5.9 A		
Electrical (Volts/Hertz/Phase)	220-240V / 60Hz / 1Ph		
Sterilization	Self-sterilization by the operator		
Working Temperature	-3 - 35°C (26.6 - 95°F)		
Storage Temperature	-3 - 35°C (26.6 - 95°F)		
Relative Humidity Range	30 - 99% RH		
Interior Dimensions (WDH)	two - 22.4" x 26 x 63" (570 x 660 x 1600 mm)		
Net Weight	881 lb. (395 kg.)	937 lb. (425 kg.)	804.7 lb. (365 kg.)
Net Dimensions (WDH)	57.6" x 34.5" x 83.2" (1464 x 875 x 2115 mm)		
Gross Weight	981 lb. (445 kg.)	1069 lb. (485 kg.)	893 lb. (405 kg.)
Gross Dimensions (WDH)	38" x 33" x 87" (970 x 840 x 2220 mm)		

**Technical Specification**

Technology	Technology 4.0	Technology 3.0	Technology 2.0
Brand			
Product Image (not to scale)			
Features	<ul style="list-style-type: none"> <li>• Aerobic Maturation</li> <li>• Drying</li> <li>• Fermentation</li> <li>• Cooking Option</li> <li>• Flavored Smoking</li> <li>• Preservation</li> <li>• Weight Loss Management</li> <li>• Analysis, Verification and Management of pH</li> </ul>	<ul style="list-style-type: none"> <li>• Drying</li> <li>• Preservation</li> <li>• Weight Loss Management</li> <li>• Reading and Monitoring of pH</li> </ul>	<ul style="list-style-type: none"> <li>• Drying</li> <li>• Preservation</li> </ul>
Control System	Yescur Food Control 7" Color - Touch Screen Remote Data Yesm Connection	Dry Age Control 4.3" Color - Touch Screen	Dry Age Control 4.3" Color - Touch Screen
Patented Device	✓	✓	✓
Licence to Use Maturation Method	✓	✗	✗
Validated Shelf Life	6 Months	✗	✗
pH-Metric System	Analysis, Meat pH Management - Min-Max Alarm - HACCP Register	Reading - Min-Max Alarm - HACCP Register	✗
Humidification System	✓ Direct or Tank Connection	✓ Direct or Tank Connection	✓
Weight Loss Management	✓	✓	✗
Cold Flavored Smoking System	✓ Tank 5 LT.	✗	✗
Ventilation	Automatic and/or Adjustable	Automatic and/or Adjustable	Adjustable
Air Treatment Unit (Interior)	Stainless Steel AISI 304	Stainless Steel AISI 304	Stainless Steel AISI 304
HACCP Register	✓	✓ (2 Register)	✓
C.I.P. Cleaning in Place (Automatic and Integrated Washing and Sanification System)	✓	✗	✗
Operational Procedures and Process Validation	✓	✗	✗
Personal Training Course	✓	✗	✗
Compliant with Future European Guidelines (EFSA)	✓	✓	✓
MOCA Certification	✓	✓	✓
QPS + CE Certification	✓	✓	✓