

Countertop Donut/ Funnel Cake Deep Fryer

ITEM: 48101 48102
MODEL: CE-CN-0030-FN CE-CN-0040-FN

Attractively designed to encourage impulse buys while preserving freshness at safe temperatures.

Omcan's Countertop Donut and Funnel Cake Fryer offers durable stainless steel construction and efficient natural gas performance, perfect for high-volume frying. Safety features include cool-touch handles, a drip tray, and a drain extension.

The flat-bottom design ensures even heat distribution, while the millivolt control system and adjustable thermostat provide precise temperature control. Adjustable feet add convenience, and removable parts make cleaning easy. Certified for commercial use, this compact fryer is ideal for kitchens, food trucks, and events, making deep frying simple, safe, and mess-free.



FEATURES:


- Stainless steel construction
- Natural gas fuel
- Wire mesh strainer and cool-touch handles
- Drip tray and drain extension pipe
- precise Intuitive millivolt control
- Flat bottom for even heat distribution
- Adjustable feet for portability
- Adjustable thermostat
- Safety shut-off and intuitive controls
- Removable parts and easy cleaning
- Certified to cETLus and ETL SANITATION®



TECHNICAL SPECIFICATION		
Features	Countertop Donut/ Funnel Cake Fryer 30 lb Oil Capacity	Countertop Donut/ Funnel Cake Fryer 40 lb Oil Capacity
Item	48101	48102
Model	CE-CN-0030-FN	CE-CN-0040-FN
Gas Type	Natural Gas	
Oil Capacity	15.4 - 30.9 lbs. / 7 - 14 kgs	19.8 - 39.7 lbs. / 9 - 18 kgs
Burner Style	Tube Burner	
Number of Tubes	2	3
Total BTU per hour	50,000	75,000
Number of Mesh Trays	Yes	
Inuitive Millivolt Control	Yes	
Standby Pilot	Yes	
Gas Convertible	Yes	
Fry Pot Dimensions	29" x 21" x 4.3" / 737 x 534 x 109mm	
Net Weight	103.6 lbs. / 47 kgs	134.5 lbs. / 61 kgs
Packaging Weight	132.3 lbs. / 60 kgs	164.9 lbs. / 74.8 kgs
Net Dimensions (WDH)	23" x 29.6" x 19.7" 584 x 752 x 500mm	32" x 29.6" x 19.7" 813 x 752 x 500mm
Packaging Dimensions (WDH)	35.4" x 29" x 20.5" 899 x 737 x 521mm	35.4" x 37" x 20.5" 899 x 940 x 521mm

TECHNICAL DRAWING

FRONT VIEW



BACK VIEW

