

Grab-and-Go Refrigerated Showcase

Item:	48265	48266	48269	48480
Model:	RS-CN-0530-B	RS-CN-0700-B	RS-CN-1050-B	RS-CN-0440-B

Keep foods fresh and in customer-view with this high performance Grab-and-Go refrigerated showcase.

This open refrigerated display is a perfect addition to any establishment, offering easy access, bright LED lighting and adjustable shelves for flexible merchandise. Designed to save space and energy, it features a night curtain and digital temperature controls to keep products fresh and ready to grab.



48480 - 30"



48265 - 36"



48266 - 48"



48269 - 72"

FEATURES:

- Pull down curtain
- LED lighting under each shelf
- Adjustable shelves
- Digital temperature control & display
- 4 Casters
- Ventilated cooling system
- Automatic defrost



TECHNICAL SPECIFICATION

Features	30" wide 15.5 cu.ft. capacity	36" wide with 18.7 cu.ft.capacity	48" wide with 24.7 cu.ft. capacity	72" wide with 37 cu.ft.capacity
Item	48480	48265	48266	48269
Model	RS-CN-0440-B	RS-CN-0530-B	RS-CN-0700-B	RS-CN-1050-B
Capacity	440 L / 15.5 cu. ft.	530 L / 18.7 cu. ft.	700 L / 24.7 cu.ft.	1050 L / 37 cu.ft.
Shelf Load Capacity	25 kg/ 55.1 lbs	25 kg/ 55 lbs	30 kg/ 66 lbs	50 kg/ 110 lbs
Number of Shelves	5	5	5	5
Number of Casters	4	4	4	4
Power	1700 W	1340 W	2650 W	1960 W
Electrical	110V / 60Hz / 1Ph	120V / 60Hz / 1Ph	220V / 60Hz / 1Ph	220V / 60Hz / 1Ph
Temperature Range	2 - 10°C / 35.6 - 50°F			
Lamp Power (W)	-	1.44 Watts x 6 (LED)	1.44 Watts x 6 (LED)	1.44 Watts x 6 (LED)
Refrigerant	R290			
Rated Current	11.8 A	11.8 A	12	9.6
Foaming Agent	Cyclopentane	C5H10	XPS	C5H10
Net Dimensions (WDH)	30" x 30.1" x 81.5" / 762 x 765 x 2070 mm	36" x 30.13" x 81.5" / 915 x 765 x 2070 mm	48" x 30.1" x 81.5" / 1220 x 765 x 2070 mm	72" x 30.1" x 81.5" / 1829 x 765 x 2070 mm
Gross Dimesions (WDH)	33.9" x 33.5" x 87.8" / 862 x 850 x 2230 mm	40" x 33.6" x 87.8" / 1015 x 853 x 2230 mm	52" x 33.6" x 87.8" / 1320 x 853 x 2230 mm	76" x 33.6" x 87.8" / 1930 x 850 x 2230 mm
Net Weight	276.7 lbs/ 125.5 kgs	335.1 lbs/ 152 kgs	426.6 lbs/ 193.5 kgs.	565.5 lbs/ 256.5 kgs
Gross Weight	332.9 lbs/ 151 kgs	388 lbs/ 176 kgs	486.1 lbs/ 220.5 kgs	652.6 lbs/ 296 kgs

TECHNICAL DRAWING

