



SERVING THE FOOD INDUSTRY SINCE 1951

Black Square Glass Refrigerated Double-Duty Deli Case

ITEM: 50104
MODEL: RS-CN-0050D-BK

50106
RS-CN-0071D-BK

50108
RS-CN-0084D-BK



50108- 84"



50106- 70"



50104- 50"

A sleek and versatile refrigerated display case with convenient built-in storage.

This deli case is a versatile solution for cafés, bakeries, and catering operations, combining sleek presentation with functional storage. Its modern square glass design showcases products on galvanized wire and epoxy-coated shelves, while keeping them protected and sanitary. A convenient storage compartment beneath allows for quick restocking, helping maximize efficiency and organization in busy environments.

Constructed with durable tempered glass and a black aluminum exterior, this unit is built to last while maintaining a polished, professional appearance. Bright LED lighting draws attention to displayed items, and the gravity coil refrigeration system preserves freshness without drying them out. Eco-friendly R290 refrigerant, automatic defrost, and a digital controller ensure reliable performance, while dual sliding rear doors and casters provide easy access and mobility, making this deli case both practical and stylish.

FEATURES:

- Bright LED lighting
- Gravity coil refrigeration preserves freshness
- Galvanized wire & epoxy-coated shelves
- Durable tempered glass front & black aluminum exterior
- Eco-friendly R290 refrigerant
- Automatic defrost with digital controller
- Dual sliding rear doors for easy access
- Casters for easy mobility
- Lower storage area for quick restock

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Authorized Dealer



Made in China



(Version 2025.08)

Page 1 / 3



TECHNICAL SPECIFICATION			
Features	50" / 583 L / 3 Shelves	71" / 851 L / 5 Shelves	84" / 1017 L / 7 Shelves
Item	50104	50106	50108
Model	RS-CN-0050D-BK	RS-CN-0071D-BK	RS-CN-0084D-BK
Capacity	20.58 cuft./ 583 L	30.06 cuft./ 851 L	35.92 cuft./ 1017 L
Storage Capacity	6.14 cuft./ 174 L	11.31 cuft./ 320 L	14.5 cuft./ 410 L
Compressor Power	4/5 HP	1 HP	1 HP
Power	320 W	460 W	540 W
Current	4.4 A	7.3 A	10.2 A
Number of Casters	4	6	4
Number of Doors	2 Sliding Doors		
Number of Shelves	3 Shelves	5 Shelves	7 Shelves
Shelf Capacity	88 lbs/ 40 kgs		
Top Shelf Dimensions	(2) 31" x 22"/785 x 555 mm	(3) 31" x 21"/ 785 x 545 mm	(4) 31" x 19"/ 785 x 490 mm
Bottom Shelf Dimensions	(1) 28" x 24"/700 x 620 mm	(2) 28" x 23"/ 700 x 575 mm	(3) 28" x 19"/ 700 x 490 mm
Shelf Material	Galvanized Wire		
Interior Material	Aluminum		
Exterior Material	Aluminum / Tempered Glass		
Electrical	115V / 60Hz / 1Ph		
Refrigerant	R290		
Temperature Controller	Digital		
Temperature Range	33 to 40°F/ 0.55 to 4.4°C		
Max Ambient Temp	90°F/ 32°C		
Insulation Material	Polyurethane		
Defrosting	Automatic		
Cooling System	Gravity Coil		
Interior Dimensions (WDH)	46" x 31" x 48" / 1160 x 792 x 1210 mm	67" x 31" x 48" / 1695 x 792 x 1210 mm	80" x 31" x 48" / 2025 x 792 x 1210 mm
Net Weight	309 lbs/ 140 kgs	419 lbs/ 140 kgs	485 lbs/ 220 kgs
Net Dimensions (WDH)	50" x 36" x 57" / 1270 x 902 x 1446 mm	71" x 36" x 57" / 1805 x 902 x 1446 mm	84" x 36" x 57" / 2135 x 902 x 1446 mm
Gross Weight	423 lbs / 192 kgs	562 lbs/ 192 kgs	657 lbs/ 298 kgs
Gross Dimensions (WDH)	55" x 41" x 60" / 1400 x 1037 x 1525 mm	76" x 41" x 60" / 1935 x 1037 x 1525 mm	89" x 41" x 60" / 2265 x 1037 x 1525 mm
Plug Type	NEMA 5-15P		

TECHNICAL DRAWING

Item: 50104- 50"



Item: 50106- 70"



Item: 50108- 84"

