




TECHNICAL SPECIFICATION




Features	29" - 1 Solid Door	54"- 2 Solid Doors	29" - 1 Glass Door	54"- 2 Glass Doors
Item	50114	50115	50118	50119
Model	RE-CN-0029-TM	RE-CN-0054-TM	RE-CN-0029G-TM	RE-CN-0054G-TM
Capacity	21.5 cu. ft./ 609 L	43.1 cu. ft./ 1220 L	21.5 cu. ft./ 609 L	43.1 cu. ft./ 1220 L
Power	264 W	456 W	288 W	456 W
Current	2.64 A	4.2 A	2.88 A	4.2 A
Number of Doors	1 Swing Door	2 Swing Doors	1 Swing Door	2 Swing Doors
Number of Shelves	3	6	3	6
Shelf Capacity	88 lbs/ 40 kgs			
Shelf Dimensions	24.4" x 27" / 620 x 688 mm			
Shelf Material	Plastic Coated			
Exterior Material	Stainless Steel			
Number of Casters	4			
Electrical	115V / 60Hz / 1Ph			
Temperature Controller	Digital			
Temperature Range	0.5 to 4.4°C / 33 to 40°F			
Refrigerant	R290			
Max Ambient Temp	37 °C/ 100 °F			
Insulation Material	Cyclopentane			
Defrosting	Automatic			
Cooling System	Forced Air			
Interior Dimensions (WDH)	24.4" x 27" x 56" / 620 x 688 x 1440 mm	49.4" x 27" x 56" / 1255 x 688 x 1440 mm	24.4" x 27" x 56" / 620 x 688 x 1440 mm	49.4" x 27" x 56" / 1255 x 688 x 1440 mm
Net Weight	264 lbs/ 119.7 kgs	440 lbs/ 200 kgs	264 lbs/ 119.7 kgs	440 lbs/ 200 kgs
Net Dimensions (WDH)	29" x 32.2" x 81.7" / 736 x 818 x 2075 mm	54" x 32.2" x 81.7" / 1371 x 818 x 2075 mm	29" x 32.2" x 81.7" / 736 x 818 x 2075 mm	54" x 32.2" x 81.7" / 1371 x 818 x 2075 mm
Gross Weight	327.8 lbs/ 148.7 kgs	523.6 lbs/ 237.5 kgs	327.8 lbs/ 148.7 kgs	523.6 lbs/ 237.5 kgs
Gross Dimensions (WDH)	30.3" x 34" x 84.4" / 770 x 865 x 2145 mm	56.5" x 34" x 84.4" / 1435 x 865 x 2145 mm	30.3" x 34" x 84.4" / 770 x 865 x 2145 mm	56.5" x 34" x 84.4" / 1435 x 865 x 2145 mm
Plug Type	NEMA 5-15P			

TECHNICAL DRAWING

Item: 50114




Item: 50115



TECHNICAL DRAWING

Item: 50118



Item: 50119

