

Black Display Freezer, Glass Doors

ITEM:	51029	51030	51031	51075	51087
MODEL:	FR-CN-0012-HC-BK	FR-CN-0790-HC-BK	FR-CN-1250-HC-BK	FR-CN-0045-HC-BK	FR-CN-0052-HC-BK




Showcase your merchandise with reliable Performance and durable quality using this Commercial Glass Door Freezer.

Designed with both functionality and style, it offers a spacious interior and an attractive product display, making it an ideal choice for any store. The exterior is constructed from durable coated steel, while the interior features a sleek aluminum liner with a stainless steel floor for easy cleaning and enhanced durability.

The self-closing doors help maintain consistent internal temperatures, and bright LED lighting ensures your products are clearly visible. Equipped with adjustable heavy-duty PVC-coated shelves, this freezer offers flexible storage options. The automatic defrosting system ensures hassle-free maintenance, and casters provide easy mobility for convenient placement and cleaning.

FEATURES:




- Outside material: Coated steel
- Interior: Attractive aluminum liner
- Stainless steel floor
- Self-closing door
- LED lighting
- Adjustable heavy-duty PVC coated shelves
- Automatic defrosting
- With casters



TECHNICAL SPECIFICATION

Features	27" Wide/ 13 cu. ft./ 368 L Capacity	31" Wide/ 23 cu. ft./ 648 L Capacity	49" Wide/ 29 cu. ft./ 821 L Capacity	53" Wide/ 45 cu. ft./ 1270 L Capacity	80" Wide/ 52.3 cu. ft./ 1650 L Capacity
Item	51029	51030	51031	51075	51087
Model	FR-CN-0012-HC-BK	FR-CN-0790-HC-BK	FR-CN-1250-HC-BK	FR-CN-0045-HC-BK	FR-CN-0052-HC-BK
Colour	Black				
Capacity	13 cu. ft./ 368 L	23 cu. ft./ 648 L	29 cu. ft./ 821 L	45 cu. ft./ 1270 L	52.3 cu. ft./ 1650 L
Number of Doors	1		2		3
Door Type	Swing Glass Door				
Number of Shelves	4		8	10	12
Shelf Capacity	88 lb/ 40 kg	88 lb / 40 kg	90 lb / 41 kg	95 lb/ 43 kg	194 lbs / 88 kg
Electrical	110-120V / 60Hz / 1Ph				
Refrigerant	R290				
Shelf Material	Plastic Coated				
Exterior Material	Painted Coated Steel				
Interior Material	Aluminum Liner				
Insulation Material	C5H10				
Number of Casters	4	4	4	4	6
Power	3/4 HP	3/4 HP	3/4 HP	1 HP	2.6 HP
Current	8.8 A	9.4 A	9.4A	9.2 A	20 A
Temperature Range	-23 to -18°C / -10 to -0.4°F	-23 to -18°C / -10 to -0.4°F	-23 to -18°C / -10 to -0.4°F	-23 to -18°C / -10 to -0.4°F	-21.7 to -17.8°C / -7 to 0°F
Interior Dimensions (WDH)	21.3" x 19.3" x 55" 541 x 490 x 1397mm	25.2" x 28.3" x 62" 640 x 720 x 1575mm	43.3" x 19.3" x 55.1" 1100 x 490 x 1400mm	47" x 25" x 58" 1204 x 635 x 1480mm	73.5"x 23.6" x 59.7" 1868 x 600 x 1517mm
Net Weight	374 lbs / 170 kg	506 lbs / 230 kg	397 lbs / 180 kg	573 lbs / 260 kg	859.8 lbs / 390 kg
Net Dimensions (WDH)	27.2" x 26.2" x 80.3" 691 x 665 x 2040mm	31" x 33" x 87" 790 x 845 x 2210mm	49.2" x 26.2" x 84.6" 1250 x 665 x 2149mm	53" x 32" x 79" 1350 x 810 x 2015mm	30.5" x 79.5" x 80.7" 775 x 2020 x 2050mm
Gross Weight	418 lbs / 190 kg	550 lbs / 250 kg	507 lbs / 230 kg	551 lbs / 250 kg	683 lbs / 310 kg
Gross Dimensions (WDH)	30" x 30" x 87" 760 x 760 x 2210 mm	34" x 37" x 89" 860 x 945 x 2260 mm	52" x 30" x 89" 1310 x765 x 2260 mm	56" x 36" x 85" 1420 x 905 x 2160 mm	82" x 34" x 87" 2090 x 880 x 2220 mm

TECHNICAL DRAWING



TECHNICAL DRAWING

