



COOKING EQUIPMENT

SERVING THE FOOD INDUSTRY SINCE 1951

EKA SERIES ELECTRIC COMMERCIAL CONVECTION OVENS

Countertop Electric Convection Oven - Full Size- 4 Shelves Capacity

EKA heavy duty electric convection ovens are designed and developed using state of the art technology to produce products that are easy to use and aesthetically pleasing for today's kitchens. All ovens are 100% made in Italy, for over 37 years have been the prides of those who have always believed in Italian creativity, quality and reliability.



FEATURES

- Designed for maximum cooking capacity in smallest possible footprint
- 4 Levels with 3.26 inches apart
- Side tray/shelf support included and optional chrome racks available
- Temperature range: 200°-500°F/93°-260°C
- High quality stainless steel cooking chamber
- Manual or digital lower control panel
- Bi-directional fan provides faster and more even cooking
- High efficiency motors and fans
- Premium quality insulation helps accelerates warm up and ensure even temperature throughout the chamber
- Heavy-duty hinged doors
- Inner and outer door glass made from hardened glass
- Timer from 0-120 minutes
- This unit is stackable and comes equipped with an internal halogen light and recessed seal

Racks not included. Item may not be exactly as shown



Authorized Dealer

EKA SERIES ELECTRIC COMMERCIAL CONVECTION OVENS

Countertop Electric Convection Oven - Full Size- 4 Shelves Capacity



EKFA464 | ITEM: 43322



- Electromechanical version

EKFA464UD | ITEM: 43325



- Electromechanical version
- Steam injection with 5-position manual selector

EKFA464DUD | ITEM: 43324




- Digital version with 99 cooking programs in four phases
- Steam injection with 10 position digital switch

TECHNICAL SPECIFICATIONS

| ITEM NUMBER | 43322 | 43325 | 43324 |
|-------------------|--------------------------|-------------------------------------|--|
| MODEL | EKFA464 | EKFA464UD | EKFA464DUD |
| DESCRIPTION | Manual control | Manual control with steam injection | Digital control with 99 cooking programs and steam injection |
| POWER | 6.2 kW | 6.2 kW | 6.2 kW |
| AMPS | 26.5 | 26.5 | 26.5 |
| NUMBER OF SHELVES | 4 | 4 | 4 |
| DISTANCE OF PANS | 3.26" / 82.80 mm | 3.26" / 82.80 mm | 3.26" / 82.80 mm |
| CAPACITY | 5.37 cu.ft. | 5.37 cu.ft. | 5.37 cu.ft. |
| COOKING CHAMBER | 22.85" x 27.38" x 14.95" | 22.85" x 27.38" x 14.95" | 22.85" x 27.38" x 14.95" |
| TEMPERATURE RANGE | 200°-500°F / 93°-260°C | 200°-500°F / 93°-260°C | 200°-500°F / 93°-260°C |
| ELECTRICAL | 240 V / 60 Hz | 240 V / 60 Hz | 240 V / 60 Hz |
| WEIGHT | 119 lbs. / 54 kg | 134 lbs. / 60.90 kg | 134 lbs. / 60.90 kg |
| DIMENSIONS (DWH) | 31.90" x 32.20" x 25.70" | 32" x 32.20" x 25.70" | 32" x 32.20" x 25.70" |



Specifications subject to change without notice.
Item may not be exactly as shown



OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



EKA SERIES ELECTRIC COMMERCIAL CONVECTION OVENS

Countertop Electric Convection Oven - Full Size- 4 Shelves Capacity



EKFA464AL | ITEM: 43328



- Electromechanical version with side hinged door

EKFA464ALUD | ITEM: 43323



- Electromechanical version side hinged opening door
- Steam injection with 5-position manual selector

EKFA464DALUD | ITEM: 41924




- Digital version with 99 cooking programs in four phases
- Steam injection with 10 position digital switch
- Side hinged door

TECHNICAL SPECIFICATIONS

| ITEM NUMBER | 43328 | 43323 | 41924 |
|-------------------|---|---|--|
| MODEL | EKFA464AL | EKFA464ALUD | EKFA464DALUD |
| DESCRIPTION | Manual control with side hinged opening | Manual control with steam injection and side hinged opening | Digital control with 99 cooking programs, Steam injection and side hinged door opening |
| POWER | 6.2 kW | 6.2 kW | 6.2 kW |
| AMPS | 26.5 | 26.5 | 26.5 |
| NUMBER OF SHELVES | 4 | 4 | 4 |
| DISTANCE OF PANS | 3.26" / 82.80 mm | 3.26" / 82.80 mm | 3.26" / 82.80 mm |
| CAPACITY | 5.37 cu.ft. | 5.37 cu.ft. | 5.37 cu.ft. |
| COOKING CHAMBER | 22.85" x 27.38" x 14.95" | 22.85" x 27.38" x 14.95" | 22.85" x 27.38" x 14.95" |
| TEMPERATURE RANGE | 200°-500°F / 93°-260°C | 200°-500°F / 93°-260°C | 200°-500°F / 93°-260°C |
| ELECTRICAL | 240 V / 60 Hz | 240 V / 60 Hz | 240 V / 60 Hz |
| WEIGHT | 117 lbs. / 53.18 kg | 132 lbs. / 60 kg | 132 lbs. / 60 kg |
| DIMENSIONS (DWH) | 32.60" x 32.20" x 25.70" | 32.70" x 32.30" x 25.70" | 32.70" x 32.20" x 25.70" |



Specifications subject to change without notice.
Item may not be exactly as shown



OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers

